



DEATHS

State Summary

DEATHS

INTRODUCTION

Purpose of Death Surveillance

In addition to serving as the legal records of death, death certificates provide surveillance information used to describe patterns of death by gender, race, age, and cause of death. Monitoring of differences in death patterns within and among demographic groups permits identification of persons at high risk of death from specific diseases and injuries. This type of monitoring makes it possible for communities, health care providers, researchers, and governmental agencies to target resources where they are most effective in reducing the risks of mortality.

Source of Data: Certificate of Death

Mortality information presented in this report is gathered from data recorded on the *Certificate of Death* for Louisiana residents that died in the 2000 calendar year. Data are recorded on these death certificates by funeral directors, who solicit demographic information from available next of kin, and by physicians or coroners, who record information on time, place, and cause of death. Louisiana law requires that the funeral directors send death certificates to the Vital Records Registry within five days of the occurrence of a death. State regulations also specify that the identities of persons included in the death registry be kept confidential.

Death statistics are compiled in accordance with World Health Organization (WHO) regulations, which require member nations to classify causes of death according to the revision of the International Statistical Classification of Diseases, Injuries, and Causes of Death in effect at the time of death. Deaths that occurred in 2000 are coded in accordance with the tenth revision (ICD-10).

All of the causes of death described in this report are **underlying causes of death**, defined as the disease or injury that initiated the sequence of events leading to death. Secondary causes of death, which are also recorded on death certificates, are not presented in this report.

Unless otherwise noted, all statistics reported here are for deaths to Louisiana residents, regardless of the state in which the death occurred. The Vital Statistics Cooperative Program, a nationwide system of information interchange among all U.S. states and territories, makes possible the receipt of out-of-state deaths occurring to Louisiana residents.

Death registration in Louisiana is considered to be 99.3% complete, since a death certificate is usually filed before a burial permit is obtained. However, it is possible that death registration is not carried out accurately in cases of infants dying shortly after birth or in cases of death requiring in-depth investigation.

NUMBER AND RATES OF DEATH

In 2000, 40,928 Louisiana residents died, which is a decrease by 48 from the 40,976 deaths reported in 1999 (Figure D1, Table D1).

Crude Death Rate

In 2000, Louisiana's crude death rate decreased to 915.8 deaths per 100,000 population from the 1999 rate of 937.2 deaths per 100,000 population. U.S. rates for 1999 and 2000 were 877.0 and 873.1, respectively (Figure D2, Table D1). While the state's crude death rates have risen during the past twelve years, national rates have remained stable overall.

Caution must be used when comparing crude rates from different populations, because crude rates are affected by differences in the composition of the two populations (see definition in technical notes). For example, areas that attract people over age 65 usually have higher crude death rates than areas with larger numbers of young families, because people over age 65 are at higher risk of dying.

In 1990, the crude death rate in Louisiana leaped beyond the United States rate. A wide margin between the two rates has remained since that time (Figure D2, Table D1).

Figure D1. Number and Rate of Deaths
Louisiana, 1980-2000





Figure D2. Crude Death Rates
Louisiana and United States, 1980-2000



Source: Louisiana State Center for Health Statistics
National Center for Health Statistics, Final Death Data 2000

Age-Adjusted Death Rate

To compensate for differences in the distribution of ages, age-adjusted rates are used when comparing deaths in different populations (see definition in technical notes). The age-adjusted death rate is an artificial number, designed to be used only for comparisons of different populations. Unlike the crude death rate, it does not measure the true rate of death in a population, and it should not be used in comparisons with crude death rates. The age-adjusted death rate due to all causes for Louisiana in 2000 was 1001.0 per 100,000 (U.S. 2000 standard)

population, versus 872.0 for the United States (Table D2). 2000 preliminary data published by the National Center for Health Statistics reported Louisiana's age-adjusted death rate as the third highest (after Mississippi and Tennessee) among the 50 states. Louisiana belongs to a group of other southern states (Mississippi, Alabama, Georgia, South Carolina, and Tennessee) which traditionally have high age-adjusted death rates for stroke, cancer, cardiovascular disease and all-causes of mortality.

Table D1.
Number and Rates⁺ of Deaths
Louisiana and United States, 1980-2000

Year	Louisiana		U.S. Crude Rate ⁺	Year	Louisiana		U.S. Crude Rate ⁺
	Number	Crude Rate ⁺			Number	Crude Rate ⁺	
1980	35544	845.1	878.3	1991	38092	895.9	860.3
1981	35985	836.9	862.0	1992	37428	873.1	852.9
1982	35725	815.5	852.4	1993	39490	919.4	880.0
1983	36334	818.1	863.7	1994	38950	902.7	875.4
1984	35865	804.0	864.8	1995	39539	911.0	880.0
1985	37041	825.7	876.9	1996	39511	908.2	872.5
1986	36287	806.2	876.7	1997	39917	917.3	864.7
1987	35759	816.6	876.4	1998	40209	920.3	864.7
1988	37578	850.3	886.7	1999	40976	937.2	877.0
1989	37503	856.0	871.3	2000	40928	915.8	873.1
1990	37375	885.9	863.8				

⁺Rate per 100,000 population

Source: Louisiana State Center for Health Statistics
National Center for Health Statistics


LEADING CAUSES OF DEATH

2000 Louisiana and United States Death Rates

Based on rankings of crude death rates for the total population, the five leading causes of death in Louisiana in 2000 were Diseases of the Heart, Malignant Neoplasms (Cancer), Cerebrovascular Diseases (Stroke), Accidents, and Diabetes, in that order. Deaths from these causes accounted for 66.2% of all Louisiana resident deaths in the year 2000 (*Figure D3, Table D2*). Rounding out the ten leading causes of death to Louisiana residents in 2000 were Chronic Lower Respiratory Diseases; Influenza and Pneumonia; Nephritis, Nephrotic Syndrome, and Nephrosis; Alzheimer's Disease; and Septicemia. Ranking of age-adjusted death rates was determined by ranking the crude death rates from highest to lowest and then adjusting these rates, in the same

rank order, for age (*Table D2, Figure D4*). Louisiana and the United States shared the same ten leading causes of death in 2000, but differed in the rates at which they occurred. The three leading causes of death in both Louisiana and the United States in 2000 were the same - heart disease, cancer, and stroke. Louisiana's age-adjusted

Figure D3. Percents of Deaths from the Five Leading Causes of Death
Louisiana, 2000



death rates, however, exceeded the national rates for nine of the ten leading causes of death (only chronic lower respiratory diseases had a higher U.S. rate). In the year 2000, HIV infection ranked thirteenth in Louisiana, and moved off the list of 15 leading causes of death in the United States (*Table D2, Figure D4*).

Table D2.
Rankings, Counts and Rates for the Ten Leading Causes of Death
Louisiana and United States, 2000

Cause of Death	Louisiana				United States		
	Rank*	Number	Crude Rate ⁺	Age-adjusted Rate ⁺⁺	Rank*	Crude Rate ⁺	Age-adjusted Rate ⁺⁺
All Causes	-	40928	915.8	1001.0	-	873.1	872.0
Diseases of the Heart	1	11551	258.5	286.7	1	258.2	257.9
Malignant Neoplasms	2	9360	209.4	226.9	2	200.9	201.0
Cerebrovascular Disease	3	2494	55.8	62.5	3	60.9	60.8
Accidents	4	1989	44.5	45.6	5	35.6	35.5
Diabetes Mellitus	5	1689	37.8	41.3	6	25.2	25.2
Chronic Lower Respiratory Diseases	6	1682	37.6	41.6	4	44.3	44.3
Influenza and Pneumonia	7	969	21.7	24.6	7	23.7	23.7
Nephritis, Nephrotic Syndrome, & Nephrosis	8	921	20.6	22.8	9	13.5	13.5
Alzheimer's Disease	9	811	18.1	20.9	8	18.0	18.0
Septicemia	10	772	17.3	19.2	10	11.3	11.4


*Rank is based on crude death rate per 100,000 population

⁺Crude rate per 100,000 population

⁺⁺Age-adjusted rate per 100,000 2000 U.S. standard population

Source: Louisiana State Center for Health Statistics, National Center for Health Statistics

Figure D4. Age-Adjusted Death Rates for the Ten Leading Causes of Death
Louisiana and United States, 2000



1990-2000 Louisiana Death Rates

The year 2000's top four causes of death have been the leading causes of death in Louisiana for the past twenty years. During this period, the fifth-ranked cause has alternated between diabetes, chronic obstructive pulmonary disease (COPD), influenza and pneumonia. *Figures D5, D6, and D7 and Table*


D3 present 1990 through 2000 crude death rates for the top five causes of death in Louisiana. Beginning with deaths occurring in 1999, the United States implemented the tenth revision of the International Statistical Classification of Diseases, Injuries, and Causes of Death (ICD-10). The ICD system categorizes death causes recorded on death

certificates into groupings useful for summarizing, describing, and comparing causes of death worldwide (see *Technical Notes*).

Figures D5, D6, and D7 present two versions of crude death rates for 1996, 1997, and 1998. The "filled" pointers for these three years report crude death rates as determined under the ICD-9, which was used to classify deaths occurring from 1979

through 1998. The "unfilled" pointers report the same crude death rates after they have been adjusted mathematically to be comparable to the revisions under ICD-10.

Figure D5. Crude Death Rates for Heart Disease and Cancer
Louisiana, 1990-2000




Notes: unfilled pointers (◇ and △) represent crude death rates multiplied by a comparability ratio.

Disease of Heart: ICD-9 codes in 1979-1998.....390-398,402,404,410-429
ICD-10 codes in 1999-2000.....I00-I09,I11,I13,I20-I51
Comparability Ratio = 0.9858

Malignant Neoplasms: ICD-9 codes in 1979-1998.....140-208
ICD-10 codes in 1999-2000.....C00-C97
Comparability Ratio = 1.0068

Figure D6. Crude Death Rates for Stroke and Accidents
Louisiana, 1990-2000




Notes: unfilled pointers (◇ and △) represent crude death rates multiplied by a comparability ratio.

Cerebrovascular Disease: ICD-9 codes in 1979-1998.....430-434,436-438
ICD-10 codes in 1999-2000.....I60-I69
Comparability Ratio = 1.0588

Accidents: ICD-9 codes in 1979-1998.....E800-E869, E880-E929
ICD-10 codes in 1999-2000.....V01-X59, Y85-Y86
Comparability Ratio = 1.0305

Figure D7. Crude Death Rates for Diabetes
Louisiana, 1990-2000



Notes: unfilled pointers (◇ and △) represent crude death rates multiplied by a comparability ratio.

Diabetes: ICD-9 codes in 1979-1998.....250
ICD-10 codes in 1999-2000.....E10-E14
Comparability Ratio = 1.0082

Table D3 reports both unmodified (i.e., ICD-9) and comparability-modified (i.e., adjusted to be comparable to ICD-10) versions of

the 1996, 1997, and 1998 crude death rates. As is seen in these graphs, the change from ICD-9 to ICD-10 had little impact on the crude

death rates for Louisiana's five leading causes of death in 1999 and 2000.

Table D3.
Crude Death Rates[†] for the Leading Causes of Death
Louisiana, 1990-2000

Cause of Death (ICD-9 and ICD-10 code)	1990	1991	1992	1993	1994	1995	1996	1997	1998	Comparability-modified ¹			1999	2000
										1996	1997	1998		
Diseases of Heart (390-398,402,404,410-429) (100-109,111,113,120-151)	292.9	292.6	282.3	292.7	277.5	279.2	270.6	272.1	270.8	266.8	268.2	266.9	273.2	258.5
Malignant Neoplasms (140-208)(C00-C97)	205.1	208.8	206.0	212.6	207.7	214.3	214.3	214.6	213.6	215.8	216.1	215.0	214.2	209.4
Cerebrovascular Disease (430-434,436-438)(I60-I69)	56.5	57.0	56.1	55.9	55.0	58.6	59.0	58.0	57.5	62.5	61.4	60.9	60.9	55.8
Accidents (E800-E869,E880-E929) (V01-X59,Y85-Y86)	44.0	39.5	39.8	42.5	40.7	41.0	40.3	42.0	42.5	41.5	43.2	43.8	43.5	44.5
Diabetes (250)(E10-E14)	28.8	30.9	27.8	34.1	33.5	34.4	37.3	38.7	41.7	37.6	39.0	42.1	38.5	37.8

[†]Rate per 100,000 population.

¹Rate modified by comparability ratios.


Notes: ICD-9 used 1990-1998 and ICD-10 used 1999-2000.

Figure D8. Crude Death Rates by Gender
Louisiana, 1980-2000

DEATHS BY DEMOGRAPHIC GROUP

Mortality by Sex

In 2000 there were 20,367 (50%) male and 20,561 (50%) female deaths in Louisiana (Table D4). The crude death rate for males (941.7 per 100,000 male population) was higher than for females (891.6 per 100,000 female population) (Figure D8, Table D4). Males historically have a higher crude death rate than females, though the gap between males and females has narrowed over the past ten years. After a decline in the 1980s, male crude death rates have regained their 1980



level. Since the late 1980s, however, female crude death rates have been on a steady upward path (Figure D8).

In 2000, the top two leading causes of death in both males and females were Diseases of the Heart and Malignant Neoplasms (Table D4). Although

leading causes of death were similar for males and females, the crude death rates for males were notably higher than for females for the following causes of death: Malignant Neoplasms (229.4 vs.190.8), Accidents (62.3 vs. 27.8), Homicide (21.5 vs. 5.6), Suicide (17.7

vs. 3.6), HIV infection (13.7 vs. 3.9), and Chronic Liver Disease and Cirrhosis (10.7 vs. 5.7) as shown in Figure D9. Rates for females were notably higher than those for males for Cerebrovascular Disease (66.1 vs. 44.8), Diabetes (43.2 vs. 32.0), and Alzheimer's Disease (23.6 vs. 12.3).

Table D4.
Rankings, Counts, and Rates for the Leading Causes of Death by Sex
Louisiana, 2000

Cause of Death (ICD-10 Codes)	Overall			Male			Female		
	Rank*	Number	Crude Rate [†]	Rank*	Number	Crude Rate [†]	Rank*	Number	Crude Rate [†]
All Causes	-	40928	915.8	-	20367	941.7	-	20561	891.6
Diseases of the Heart (I00-I09, I11, I13, I20-I51)	1	11551	258.5	1	5679	262.6	1	5872	254.6
Malignant Neoplasms (C00-C97)	2	9360	209.4	2	4961	229.4	2	4399	190.8
Cerebrovascular Disease (I60-I69)	3	2494	55.8	4	970	44.8	3	1524	66.1
Accidents (V01-X59, Y85-Y86)	4	1989	44.5	3	1347	62.3	6	642	27.8
Diabetes Mellitus (E10-E14)	5	1689	37.8	6	693	32.0	4	996	43.2
Chronic Lower Respiratory Diseases (J40-J47)	6	1682	37.6	5	856	39.6	5	826	35.8
Influenza & Pneumonia (J10-J18)	7	969	21.7	8	436	20.2	8	533	23.1
Nephritis, Nephrotic Syndrome, & Nephrosis (N00-N07, N17-N19, N25-N27)	8	921	20.6	9	423	19.6	9	498	21.6
Alzheimer's Disease (G30)	9	811	18.1	13	267	12.3	7	544	23.6
Septicemia (A40-A41)	10	772	17.3	11	326	15.1	10	446	19.3
Homicide (X85-Y09, Y87.1)	11	594	13.3	7	465	21.5	-	129	5.6
Suicide (X60-X84, Y87.0)	12	465	10.4	10	382	17.7	-	83	3.6
HIV Infection (B20-B24)	13	386	8.6	12	296	13.7	-	90	3.9
Chronic Liver Disease & Cirrhosis (K70, K73-K74)	14	362	8.1	14	231	10.7	15	131	5.7
Certain Conditions Originating in the Perinatal Period (P00-P96)	15	289	6.5	15	156	7.2	14	133	5.8
Residual		6594			2879			3715	

*Rank is based on rate per 100,000 sex-specific population

[†]Rate per 100,000 sex-specific population


"-" in cell indicates the sex-specific rate is not ranked in the top 15

Notes: Females: 11th rank is Essential Hypertension and Hypertension Renal Disease, 166 deaths, rate=7.2

12th rank is In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior, 149 deaths, rate=6.5

13th rank is Atherosclerosis, 142 deaths, rate=6.2

**Figure D9. Crude Death Rates for the Leading Causes of Death by Sex
Louisiana, 2000**



Mortality by Race

Of the 40,928 deaths to Louisiana residents in 2000, 27,995 (68.4%) deaths occurred among whites, 12,714 (31.1%) among blacks and 219 (less than 1%) among other races. The crude death rate in whites (980.2 per 100,000 white population) was higher than in blacks (875.7 per 100,000 black

population) (*Table D5*). During the 1990s the crude death rate in whites has increased, while that in blacks has generally remained stable (*Figure D10*).

**Figure D10. Crude Death Rates by Race
Louisiana, 1988-2000**




Table D5.
Rankings, Counts, and Rates for the Leading Causes of Death by Race
Louisiana, 2000

Cause of Death (ICD-10 Codes)	All Races			White			Black			Other ¹	
	Rank*	Number	Crude Rate ⁺	Rank*	Number	Crude Rate ⁺	Rank*	Number	Crude Rate ⁺	Rank*	Number
All Causes	-	40928	915.8	-	27995	980.2	-	12714	875.7	-	219
Diseases of the Heart (I00-I09, I11, I13, I20-I51)	1	11551	258.5	1	8251	288.8	1	3247	223.6	2	53
Malignant Neoplasms (C00-C97)	2	9360	209.4	2	6534	228.8	2	2764	190.4	1	62
Cerebrovascular Disease (I60-I69)	3	2494	55.8	3	1658	58.0	3	824	56.8	4	12
Accidents (V01-X59, Y85-Y86)	4	1989	44.5	5	1348	47.2	5	624	43.0	3	17
Diabetes Mellitus (E10-E14)	5	1689	37.8	6	947	33.2	4	738	50.8	-	****
Chronic Lower Respiratory Diseases (J40-J47)	6	1682	37.6	4	1370	48.0	8	307	21.1	-	5
Influenza & Pneumonia (J10-J18)	7	969	21.7	7	707	24.8	11	256	17.6	-	6
Nephritis, Nephrotic Syndrome, & Nephrosis (N00-N07, N17-N19, N25-N27)	8	921	20.6	9	528	18.5	7	388	26.7	-	5
Alzheimer's Disease (G30)	9	811	18.1	8	665	23.3	13	140	9.6	-	6
Septicemia (A40-A41)	10	772	17.3	10	465	16.3	9	305	21.0	-	****
Homicide (X85-Y09, Y87.1)	11	594	13.3	-	141	4.9	6	446	30.7	-	7
Suicide (X60-X84, Y87.0)	12	465	10.4	11	391	13.7	-	73	5.0	-	****
HIV Infection (B20-B24)	13	386	8.6	-	81	2.8	10	303	20.9	-	****
Chronic Liver Disease & Cirrhosis (K70, K73-K74)	14	362	8.1	12	257	9.0	15	103	7.1	-	****
Certain Conditions Originating in the Perinatal Period (P00-P96)	15	289	6.5	-	87	3.0	12	198	13.6	-	****
Residual		6594			4565			1998			31

*Rank is based on rate per 100,000 race-specific population. For "Other" rank is based on number of deaths.

⁺Rate per 100,000 race-specific population

**** in cell indicates count is greater than 0 and less than 5.

Notes: White: 13th rank is In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior, 205 deaths, rate=7.2

14th rank is Parkinson's Disease, 176 deaths, rate=6.2

15th rank is Aortic aneurysm and dissection, 148 deaths, rate=5.2

Black: 14th rank is Essential Hypertension and Hypertension Renal Disease, 131 deaths, rate=9.0

¹Other: rate not calculated because of instability due to low frequency


- " in cell indicates the race-specific rate is not ranked in the top fifteen.

In 2000, the top three causes of death for both whites and blacks were Diseases of the Heart, Malignant Neoplasms, and Cerebrovascular Disease (*Table D5*). Although the leading causes of death were similar among all race groups, there were considerable

differences in race-specific crude death rates (*Figure D11, Table D5*). Crude death rates among whites were notably higher than those among blacks for Heart Disease (288.8 vs. 223.6), Malignant Neoplasms (228.8 vs. 190.4), Chronic Lower Respiratory Disease

(48.0 vs. 21.1), Alzheimer's Disease (23.3 vs. 9.6), and Suicide (13.7 vs. 5.0). Crude death rates for blacks substantially exceeded those for whites for Diabetes Mellitus (50.8 vs. 33.2), Homicide (30.7 vs. 4.9), HIV Infection (20.9 vs. 2.8) and Perinatal Conditions (13.6 vs. 3.0).

Figure D11. Crude Death Rates for the Leading Causes of Death by Race Louisiana, 2000



Mortality by Sex and Race

Age-adjusted death rates for the five leading causes of death in the major race/sex groups make direct comparisons among the groups possible. With the exception of diabetes, 2000 age-adjusted death rates for 2000 for all of the leading causes of death were higher in black males than in all other race/sex groups. Of particular note were the age-adjusted

death rates for heart disease and cancer among black males, which were substantially higher than those for the other race/sex groups.

Blacks of both sexes had higher diabetes death rates than whites, with the rate for black females exceeding that for black males (79.7 vs. 66.0). Black females were at higher risk than white females for death from diabetes


(79.7 vs. 28.7), heart disease (276.6 vs. 222.3), cancer (209.5 vs. 176.6), and stroke (78.1 vs. 55.1) (*Table D6, Figure D12*):

Table D6.
Age-Adjusted Death Rates*
For the Five Leading Causes of Death by Sex and Race
Louisiana, 2000

Cause of Death (ICD-10 Code)	Race/Sex	Rate
Diseases of the Heart (I00-I09, I11, I13, I20-I51)	Total	286.7
	White Male	350.7
	White Female	222.3
	Black Male	408.7
	Black Female	276.6
Malignant Neoplasms (C00-C97)	Total	226.9
	White Male	272.7
	White Female	176.6
	Black Male	383.7
	Black Female	209.5
Cerebrovascular Diseases (I60-I69)	Total	62.5
	White Male	55.9
	White Female	55.1
	Black Male	93.3
	Black Female	78.1
Accidents (V01-X59, Y85-Y86)	Total	45.6
	White Male	66.7
	White Female	27.7
	Black Male	74.0
	Black Female	27.1
Diabetes Mellitus (E10-E14)	Total	41.3
	White Male	34.8
	White Female	28.7
	Black Male	66.0
	Black Female	79.7

*Rate per 100,000 2000 U.S. standard population

Figure D12. Age-Adjusted Death Rates
for the Five Leading Causes of Death, by Sex and Race
Louisiana, 2000



Mortality by Age

When examined by age group, the leading causes of death in Louisiana in the year 2000 followed the

traditional pattern of mortality seen in developed countries. Accidents, the primary cause of death among young people, gave way to deaths

from chronic conditions such as cancer and heart disease in the middle-aged and elderly (*Table D7*).

Table D7.
Rankings and Counts for the Five Leading Causes of Death by Age Group
Louisiana, 2000


Rank*	Counts by Age Group and Cause of Death									
	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & Older
1	Accidents 51	Accidents 69	Accidents 361	Accidents 271	Accidents 321	Malignant Neoplasms 960	Malignant Neoplasms 1687	Malignant Neoplasms 2537	Diseases of the Heart 3351	Diseases of the Heart 3415
2	Homicide 17	Malignant Neoplasms 15	Homicide 188	Homicide 159	Diseases of the Heart 307	Diseases of the Heart 763	Diseases of the Heart 1365	Diseases of the Heart 2257	Malignant Neoplasms 2570	Malignant Neoplasms 1205
3	Congenital malformations, deformations, and chromosomal abnormalities 14	Homicide 15	Suicide 77	Suicide 92	Malignant Neoplasms 298	Accidents 262	Diabetes Mellitus 260	Chronic Lower Respiratory Diseases 449	Cerebro- vascular Disease 781	Cerebro- vascular Disease 876
4	Malignant Neoplasms 7	Congenital malformations, deformations, and chromosomal abnormalities 10	Diseases of the Heart 28	HIV Infection 84	HIV Infection 166	Cerebro- vascular Disease 166	Cerebro- vascular Disease 201	Diabetes Mellitus 421	Chronic Lower Respiratory Diseases 626	Influenza and Pneumonia 451
5	Diseases of the Heart 5	Diseases of the Heart 5	Malignant Neoplasms 18	Malignant Neoplasms 61	Homicide 108	Diabetes Mellitus 149	Chronic Lower Respiratory Diseases 169	Cerebro- vascular Disease 403	Diabetes Mellitus 510	Alzheimer's Disease 421
Residual	34	47	141	244	666	1010	1232	1861	2989	3086
Total	128	161	813	911	1866	3310	4914	7928	10827	9454

*Rank is based on rate per 100,000 age-specific population


Mortality by Age and Sex

The crude death rate for males surpassed that for females in every age group (*Figures D13 and D14, Table D8*).

Figure D13. Ages 1-54:
Death Rates by Age Group and Sex
Louisiana, 2000



**Figure D14. Ages 55 and Over:
Death Rates by Age Group and Sex
Louisiana, 2000**



**Table D8.
Numbers and Rates of Deaths by Sex and Age Group
Louisiana, 2000**

Age Group	Total		Male		Female	
	Number	Rate*	Number	Rate*	Number	Rate*
Under 1 Year ¹	603	940.8	328	1001.2	275	877.7
1-4 Years	128	50.5	71	55.0	57	45.9
5-14 Years	161	23.5	92	26.3	69	20.6
15-24 Years	813	117.6	615	178.0	198	57.2
25-34 Years	911	151.5	647	219.5	264	86.2
35-44 Years	1866	269.7	1189	352.5	677	190.9
45-54 Years	3310	564.6	2004	702.7	1306	433.8
55-64 Years	4914	1296.4	2900	1616.0	2014	1009.0
65-74 Years	7928	2802.2	4369	3500.7	3559	2250.8
75-84 Years	10827	6175.3	5190	7727.0	5637	5211.7
85 & Older	9454	16112.2	2950	18078.2	6504	15354.8
Unknown	13		12		****	
Total	40928	915.8	20367	941.7	20561	891.6

*Rates are per 100,000 sex/age-specific population.

¹Death rates for Under 1 Year (based on population estimates) differ from Infant Mortality Rates (based on live births)


**** in cell indicates count is greater than 0 and less than 5

Note: Rates are not calculated for records with age missing as there is no denominator with which to calculate the rate


Mortality by Age and Race

With the exception of Age Groups 1-4 years and 5-14 years, death rates among blacks were approximately double those of whites for all age groups below the age of 55 years (*Figure D15 and Figure D16, Table D9, on the following page*).

**Figure D15. Ages 1-54:
Death Rates by Age Group and Race
Louisiana, 2000**



**Figure D16. Ages 55 and Over:
Death Rates by Age Group and Race
Louisiana, 2000**



**Table D9.
Numbers and Rates of Deaths by Race and Age Group
Louisiana, 2000**

	All Races		White		Black		Other
Age Group	Number	Rate ⁺	Number	Rate ⁺	Number	Rate ⁺	Number
Under 1 Year ¹	603	940.8	222	623.7	374	1478.3	7
1-4 Years	128	50.5	46	32.7	80	79.6	***
5-14 Years	161	23.5	80	21.0	81	29.3	0
15-24 Years	813	117.6	407	101.3	396	152.2	10
25-34 Years	911	151.5	466	122.8	439	224.7	6
35-44 Years	1866	269.7	985	216.6	869	408.0	12
45-54 Years	3310	564.6	1766	441.6	1519	904.7	25
55-64 Years	4914	1296.4	3115	1140.6	1768	1844.9	31
65-74 Years	7928	2802.2	5502	2604.3	2375	3612.1	51
75-84 Years	10827	6175.3	8167	6037.3	2614	7008.2	46
85 & Older	9454	16112.2	7232	16591.7	2193	15421.9	29
Unknown	13	n/a	7	n/a	6	n/a	0
Total	40928	915.8	27995	980.1	12714	875.7	219

⁺Rate per 100,000 race/age-specific population

¹Death rates for "Under 1 Year" (based on population estimates) differ from Infant Mortality Rates (based on live births)

*** in cell indicates count is greater than 0 and less than 5

n/a: not applicable.

Rates are not calculated for records with age missing as there is no denominator with which to calculate the rate

Other: rate not calculated because of instability due to low frequency and unreliability of race coding

Mortality by Age, Sex, and Race

In Louisiana in 2000, mortality rates for whites and blacks showed dramatic differences among sex and age groups (Table D10).

Mortality rates for black males and females under the age of 5 years were

approximately double those of their white counterparts. From ages 15 through 44 years, mortality rates among black males were double those of black females and white male and up to five times higher than those of white females. White male and black female rates were similar between ages 25

and 74 years. With the exception of age group 85 & Older and age 1 to 4, white females had the lowest mortality rates.

Table D10.
Numbers and Rates of Deaths by Age Group, Sex, and Race
Louisiana, 2000

Age Group	Number of Deaths						Rate [†]			
	Male			Female			Male		Female	
	White	Black	Other	White	Black	Other	White	Black	White	Black
Under 1 Year ¹	122	201	5	100	173	****	673.3	1549.6	572.3	1403.3
1-4 Years	20	50	****	26	30	****	27.8	98.1	37.8	60.6
5-14 Years	48	44	0	32	37	0	24.5	31.3	17.3	27.2
15-24 Years	303	305	7	104	91	****	149.1	240.5	52.4	68.3
25-34 years	339	303	5	127	136	****	177.8	335.2	67.2	129.6
35-44 Years	637	544	8	348	325	****	279.9	557.6	153.2	281.5
45-54 Years	1112	876	16	654	643	9	558.1	1138.3	326.0	707.0
55-64 Years	1901	979	20	1214	789	11	1438.4	2311.0	861.3	1475.6
65-74 Years	3087	1255	27	2415	1120	24	3239.9	4674.5	2082.2	2878.9
75-84 Years	3955	1221	14	4212	1393	32	7552.2	8915.7	5080.5	5901.5
85 & Older	2202	737	11	5030	1456	18	18643.6	17410.8	15829.1	14579.0
Unknown	7	5	0	0	****	0	n/a	n/a	n/a	n/a
Total	13733	6520	114	14262	6194	105	982.3	953.9	978.1	806.0

[†]Rate per 100,000 race/sex/age-specific population

¹Death rates for "Under 1 Year" (based on population estimates) differ from Infant Mortality Rates (based on live births)

**** in cell indicates count is greater than 0 and less than 5

n/a : not applicable Note: Rates are not calculated for records with age missing as there is no denominator with which to calculate the rate

Other: rate not calculated because of instability due to low frequency and unreliability of race coding

Mortality by Selected Causes of Death: Crude and Age-Adjusted Rates

Table D11 describes 2000 deaths to Louisiana residents from a number of selected causes. For each of the selected causes of death, *Table D11* includes counts for each sex/race/age group, age-adjusted death rates for

each sex/race group, and crude death rates for all groups combined.

The age-adjusted death rates are useful for comparing sex/race differences in rates of death from specific causes, but they have no

meaning outside of these comparisons, and should not be compared to the crude rates. The crude death rates are useful for defining the rate of death from specific causes in the population as a whole.

Table D11.
Deaths (Exclusive Of Stillbirths) By Selected Causes, Sex, Race, And Age
Louisiana Residents, 2000

Cause Of Death and ICD-10 Code	Total	Rates		Race & Sex	Age In Years														
		Crude ⁺	Age- Adj. ⁺⁺		LT 1	1- 4	5- 9	10- 14	15- 19	20- 24	25- 34	35- 44	45- 54	55- 64	65- 74	75- 84	85+ Unk.		
TOTAL	40928 13733 14262 6520 6194 114 105	915.8	1001.0 1147.0 783.7 1534.5 1004.4 272.1 226.5	ALL WM WF BM BF OM OF	603 122 100 201 173 5 ****	128 20 26 50 30 **** ****	78 19 15 22 22 0 0	83 29 17 22 15 **** ****	304 113 41 109 36 **** ****	509 190 63 196 55 **** ****	911 339 127 303 136 5 ****	1866 637 348 544 325 8 ****	3310 1112 654 876 643 16 9	4914 1901 1214 979 789 20 11	7928 3087 2415 1255 1120 27 24	10827 3955 4212 1221 1393 14 32	9454 2202 5030 737 1456 11 18	13 7 0 5 **** 0 0	
SALMONELLA INFECTIONS- (A01-A02)	**** **** 0 0 0 0 0	0.0	0.0 0.1 0.0 0.0 0.0 0.0 0.0	ALL WM WF BM BF OM OF	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	**** **** 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	
	11 6 **** **** 0 0 0	0.2	0.3 0.5 0.2 0.1 0.0 0.0 0.0	ALL WM WF BM BF OM OF	**** 0 0 **** 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	**** **** 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	**** **** 0 0 0 0 0	**** **** **** **** 0 0 0	**** 0 **** **** 0 0 0	0 0 0 0 0 0 0	
	25 7 **** 11 **** 0 0	0.6	0.6 0.6 0.2 2.2 0.6 0.0 0.0	ALL WM WF BM BF OM OF	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	**** **** 0 **** 0 0 0	**** 0 0 **** 0 0 0	**** 0 0 **** **** 0 0	6 **** **** **** 0 0 0	7 **** **** **** **** 0 0 0	**** **** **** **** **** 0 0	**** **** **** **** **** 0 0	**** **** **** **** **** 0 0	0 0 0 0 0 0 0	
	21 6 **** 10 **** 0 0	0.5	0.5 0.4 0.1 2.0 0.6 0.0 0.0	ALL WM WF BM BF OM OF	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	**** **** 0 **** 0 0 0	**** 0 0 **** **** 0 0	**** 0 0 **** **** 0 0	**** **** **** **** 0 0 0	7 **** **** **** **** 0 0 0	**** **** **** **** **** 0 0	**** **** **** **** **** 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	
	**** **** **** 0 0 0	0.1	0.1 0.1 0.1 0.2 0.0 0.0 0.0	ALL WM WF BM BF OM OF	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 **** **** 0 0	**** 0 0 **** **** 0 0	0 0 0 **** **** 0 0	0 0 0 **** **** 0 0	**** **** **** **** **** 0 0	**** 0 0 **** **** 0 0	0 0 0 0 0 0 0
	**** **** **** 0 0 0	0.1	0.1 0.1 0.2 0.0 0.0 0.0 0.0	ALL WM WF BM BF OM OF	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	**** **** **** **** **** **** ****	**** 0 **** **** **** **** ****	0 0 0 0 0 0 0	0 0 0 **** **** **** ****	**** 0 **** **** **** **** ****	0 0 0 **** **** 0 0	0 0 0 **** **** 0 0	0 0 0 **** **** 0 0	0 0 0 **** **** 0 0	0 0 0 **** **** 0 0
	SEPTICEMIA- (A40-A41)	772 197 268 129 176 0 ****	17.3	19.2 16.9 14.5 34.6 29.6 0.0 5.2	ALL WM WF BM BF OM OF	8 0 **** **** **** 0 0	**** 0 0 **** 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	**** 0 **** **** 0 0 0	**** **** 0 **** 0 0 0	**** **** **** **** 5 0 0	16 5 **** **** 18 11 0	51 9 13 19 17 0 0	77 22 19 19 24 0 0	136 54 34 24 24 0 0	248 66 86 36 60 0 0	225 36 108 24 55 0 ****	0 0 0 0 0 0 0

Table D11 continues on the next page.

Table D11.
Deaths (Exclusive Of Stillbirths) By Selected Causes, Sex, Race, And Age
Louisiana Residents, 2000

Cause Of Death and ICD-10 Code	Total	Rates		Race & Sex	Age In Years														
		Crude ⁺	Age- Adj. ⁺⁺		LT 1	1- 4	5- 9	10- 14	15- 19	20- 24	25- 34	35- 44	45- 54	55- 64	65- 74	75- 84	85+ 	Unk.	
SYPHILIS- (A50-A53)	****	0.1	0.1	ALL	0	0	0	0	0	0	0	0	****	0	0	****	****	0	
	0		0.0	WM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	****		0.1	WF	0	0	0	0	0	0	0	0	0	0	0	****	****	0	
	****		0.4	BM	0	0	0	0	0	0	0	0	****	0	0	0	0	0	
	0		0.0	BF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0		0.0	OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0		0.0	OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
ACUTE POLIOMYELITIS- (A80)	****	0.0	0.0	ALL	0	0	0	0	0	0	0	0	0	0	0	****	0	0	
	****		0.1	WM	0	0	0	0	0	0	0	0	0	0	0	****	0	0	
	0		0.0	WF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0		0.0	BM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0		0.0	BF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0		0.0	OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0		0.0	OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
VIRAL HEPATITIS- (B15-B19)	130	2.9	3.0	ALL	0	0	0	0	0	****	****	15	54	23	17	12	5	0	
	48		3.5	WM	0	0	0	0	0	0	0	5	23	9	5	****	****	0	
	34		2.1	WF	0	0	0	0	0	0	0	****	9	****	10	6	****	0	
	25		4.6	BM	0	0	0	0	0	****	0	****	12	7	****	0	0	0	
	22		3.4	BF	0	0	0	0	0	****	****	****	9	****	****	****	0	0	
	0		0.0	OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	****		1.4	OF	0	0	0	0	0	0	0	0	****	0	0	0	0	0	
HIV- (B20-B24)	386	8.6	8.9	ALL	****	****	****	0	****	9	84	166	86	30	5	****	****	0	
	75		5.3	WM	0	0	0	0	0	****	14	33	17	8	****	****	0	0	
	6		0.4	WF	0	0	0	0	0	0	****	****	****	****	0	0	0	0	
	219		36.6	BM	****	****	0	0	****	6	41	95	56	16	****	0	0	0	
	84		11.7	BF	0	0	****	0	0	****	27	34	12	5	****	0	****	0	
	****		2.3	OM	0	0	0	0	0	0	****	****	0	0	0	0	0	0	
	0		0.0	OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
OTHER AND UNSPECIFIED INFECTIOUS AND PARASITIC DISEASES AND THEIR SEQUELAE- (OTHER IN A00-B99)	94	2.1	2.2	ALL	7	****	0	****	0	****	****	12	8	13	18	18	12	0	
	27		2.1	WM	****	0	0	****	0	0	0	****	****	5	8	6	****	0	
	31		1.8	WF	****	****	0	0	0	****	0	****	****	****	5	9	6	0	
	21		4.0	BM	****	0	0	0	0	0	****	****	****	****	****	****	****	0	
	15		2.3	BF	****	****	0	0	0	0	0	5	0	****	****	****	****	0	
	0		0.0	OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0		0.0	OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
MALIGNANT NEOPLASMS- (C00-C97)	9360	209.4	226.9	ALL	0	7	8	7	13	5	61	298	960	1687	2537	2570	1205	****	
	3430		272.7	WM	0	****	****	****	5	****	16	84	296	642	1030	1007	340	****	
	3104		176.6	WF	0	0	****	****	****	****	19	91	260	490	779	909	547	0	
	1498		383.7	BM	0	****	****	****	****	0	9	52	207	304	401	362	155	0	
	1266		209.5	BF	0	****	0	****	****	0	16	68	189	238	303	283	159	0	
	33		83.0	OM	0	0	0	0	0	0	****	****	****	9	12	****	****	0	
	29		58.6	OF	0	0	0	0	0	0	0	****	****	****	12	6	****	0	
MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY AND PHARYNX- (C00-C14)	148	3.3	3.5	ALL	0	0	0	0	0	0	****	****	25	35	45	28	11	0	
	67		5.0	WM	0	0	0	0	0	0	0	****	11	12	25	15	****	0	
	24		1.3	WF	0	0	0	0	0	0	0	0	****	****	6	8	5	0	
	37		8.2	BM	0	0	0	0	0	0	****	****	7	15	7	****	****	0	
	18		2.9	BF	0	0	0	0	0	0	0	0	5	5	5	****	****	0	
	****		4.9	OM	0	0	0	0	0	0	0	0	0	0	****	0	0	0	
	0		0.0	OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
MALIGNANT NEOPLASMS OF ESOPHAGUS- (C15)	190	4.3	4.6	ALL	0	0	0	0	0	0	0	****	27	38	66	42	14	0	
	101		7.9	WM	0	0	0	0	0	0	0	****	14	19	33	24	9	0	
	29		1.6	WF	0	0	0	0	0	0	0	0	****	****	13	10	****	0	
	43		10.1	BM	0	0	0	0	0	0	0	****	7	13	15	6	****	0	
	15		2.5	BF	0	0	0	0	0	0	0	0	****	****	****	****	****	0	
	****		2.5	OM	0	0	0	0	0	0	0	0	0	0	****	0	0	0	
	****		1.4	OF	0	0	0	0	0	0	0	0	****	0	0	0	0	0	

Table D11 continues on the next page.

Table D11 (continued).
Deaths (Exclusive Of Stillbirths) By Selected Causes, Sex, Race, And Age
Louisiana Residents, 2000

Cause Of Death and ICD-10 Code	Total	Rates		Race & Sex	Age In Years														
		Crude ⁺	Age- Adj. ⁺⁺		LT 1	1- 4	5- 9	10- 14	15- 19	20- 24	25- 34	35- 44	45- 54	55- 64	65- 74	75- 84	85+	Unk.	
MALIGNANT NEOPLASMS OF STOMACH- (C16)	235 61 42 71 57 **** ****	5.3	5.8 4.9 2.3 18.3 9.6 11.5 2.7	ALL WM WF BM BF OM OF	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 **** **** 0	10 **** **** **** **** 0 0 0	22 5 9 10 5 8 0 0	33 21 5 10 8 10 **** 0	52 17 5 16 10 18 0 0	71 17 14 20 18 **** **** ****	43 6 15 8 13 **** **** 0	0 0 0 0 0 0 0 0		
MALIGNANT NEOPLASM OF COLON, RECTUM AND ANUS- (C18-C21)	985 332 325 157 165 0 6	22.0	24.1 26.8 18.1 40.1 27.6 0.0 13.1	ALL WM WF BM BF OM OF	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	6 **** **** 0 **** 0 0 0	23 9 5 **** 5 0 0	102 34 26 25 17 0 0	166 64 49 33 19 0 ****	221 84 47 42 45 0 ****	279 98 99 39 42 0 ****	187 41 96 14 35 0 ****	**** **** 0 0 0 0 0 0 0		
MALIGNANT NEOPLASMS OF LIVER AND INTRAHEPATIC BILE DUCTS- (C22)	255 110 62 45 27 7 ****	5.7	6.2 8.5 3.4 10.8 4.5 15.0 9.5	ALL WM WF BM BF OM OF	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	**** **** **** **** 0 **** 0	8 13 **** 7 **** 0 0	27 28 8 12 5 **** 0	55 28 8 13 8 **** 0	67 32 10 13 6 **** ****	60 24 19 8 6 **** ****	37 10 20 **** 5 0 0	0 0 0 0 0 0 0		
MALIGNANT NEOPLASMS OF PANCREAS- (C25)	520 183 188 70 78 **** 0	11.6	12.7 14.7 10.5 17.6 13.3 4.1 0.0	ALL WM WF BM BF OM OF	0 0 0 0 0 0 0	**** **** 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	**** **** 0 **** 0 0 0	8 **** **** 0 **** 0 0	40 17 9 9 5 0 0	85 34 25 16 10 0 0	152 53 54 24 21 0 0	159 54 63 16 25 **** 0	73 20 34 **** 15 0 0	0 0 0 0 0 0 0		
MALIGNANT NEOPLASMS OF LARYNX- (C32)	92 49 7 31 **** **** 0	2.1	2.2 3.6 0.4 7.1 0.7 1.8 0.0	ALL WM WF BM BF OM OF	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	**** **** 0 **** 0 0 0	15 7 0 6 **** 0 0	27 11 **** 12 0 **** 0	24 19 0 5 0 0 0	18 8 **** 6 **** 0 0	**** **** **** 6 **** 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0		
MALIGNANT NEOPLASMS OF TRACHEA, BRONCHUS AND LUNG- (C33-C34)	2816 1213 834 504 250 10 5	63.0	67.7 92.8 47.8 124.8 41.9 27.8 9.5	ALL WM WF BM BF OM OF	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	5 **** **** 0 **** 0 0 0	67 20 16 20 9 **** ****	274 88 68 81 37 0 0	594 268 152 110 61 **** 0	919 416 268 155 72 **** ****	765 353 250 105 57 0 0	191 64 79 33 13 **** 0	**** **** 0 0 0 0 0 0		
MALIGNANT NEOPLASMS OF SKIN- (C43)	88 43 36 6 **** 0 0	2.0	2.1 3.2 2.2 1.5 0.5 0.0 0.0	ALL WM WF BM BF OM OF	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	**** 0 **** **** 0 0 0	10 8 **** 0 **** 0 0	15 9 5 0 **** 0 0	15 6 8 **** 0 0 0	21 10 9 **** 0 0 0	17 8 7 **** 0 0 0	7 **** **** 0 **** 0 0 0	0 0 0 0 0 0 0		
MALIGNANT NEOPLASMS OF BREAST- (C50)	729 **** 478 **** 238 0 6	16.3	17.6 0.3 27.5 0.7 38.4 0.0 10.6	ALL WM WF BM BF OM OF	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	**** 0 **** **** **** 0 0 0	54 0 24 0 29 0 ****	100 0 50 0 49 0 ****	139 **** 87 0 50 0 ****	172 **** 121 **** 46 0 ****	143 **** 106 **** 34 0 ****	117 0 88 0 29 0 0	0 0 0 0 0 0 0		

Table D11 continues on the next page.

Table D11 (continued).
Deaths (Exclusive Of Stillbirths) By Selected Causes, Sex, Race, And Age
Louisiana Residents, 2000

Cause Of Death and ICD-10 Code	Total	Rates		Race & Sex	Age In Years														
		Crude ⁺	Age- Adj. ⁺⁺		LT 1	1- 4	5- 9	10- 14	15- 19	20- 24	25- 34	35- 44	45- 54	55- 64	65- 74	75- 84	85+	Unk.	
MALIGNANT NEOPLASMS OF CERVIX UTERI- (C53)	69	1.5	1.6	ALL	0	0	0	0	****	0	7	12	19	14	8	5	****	0	
	0		0.0	WM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	33		2.1	WF	0	0	0	0	****	0	****	7	7	6	****	****	****	0	
	0		0.0	BM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	36		5.6	BF	0	0	0	0	0	0	****	5	12	8	6	****	0	0	
	0		0.0	OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0		0.0	OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
MALIGNANT NEOPLASMS OF CORPUS UTERI AND UTERUS, PART UNSPECIFIED- (C54-C55)	91	2.0	2.2	ALL	0	0	0	0	0	0	****	****	7	20	25	26	11	0	
	0		0.0	WM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	48		2.7	WF	0	0	0	0	0	0	0	****	****	9	12	15	7	0	
	0		0.0	BM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	42		7.1	BF	0	0	0	0	0	0	****	0	****	11	13	11	****	0	
	0		0.0	OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	****		1.4	OF	0	0	0	0	0	0	0	0	****	0	0	0	0	0	
MALIGNANT NEOPLASMS OF OVARY- (C56)	194	4.3	4.7	ALL	0	0	0	0	0	0	0	11	26	32	54	45	26	0	
	0		0.0	WM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	146		8.5	WF	0	0	0	0	0	0	0	9	16	25	39	37	20	0	
	0		0.0	BM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	48		7.9	BF	0	0	0	0	0	0	0	****	10	7	15	8	6	0	
	0		0.0	OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0		0.0	OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
MALIGNANT NEOPLASMS OF PROSTATE- (C61)	470	10.5	11.8	ALL	0	0	0	0	0	0	0	0	9	34	100	195	132	0	
	266		25.0	WM	0	0	0	0	0	0	0	0	****	19	49	120	76	0	
	0		0.0	WF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	203		61.7	BM	0	0	0	0	0	0	0	0	7	15	50	75	56	0	
	0		0.0	BF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	****		2.5	OM	0	0	0	0	0	0	0	0	0	0	****	0	0	0	
	0		0.0	OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
MALIGNANT NEOPLASMS OF KIDNEY AND RENAL PELVIS- (C64-C65)	203	4.5	4.9	ALL	0	0	0	****	0	0	****	7	30	34	61	44	25	0	
	94		7.2	WM	0	0	0	0	0	0	****	****	15	22	27	19	7	0	
	70		4.0	WF	0	0	0	0	0	0	0	****	9	7	24	14	14	0	
	21		5.3	BM	0	0	0	0	0	0	0	****	****	****	7	****	****	0	
	18		3.0	BF	0	0	0	****	0	0	0	****	****	****	****	7	****	0	
	0		0.0	OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0		0.0	OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
MALIGNANT NEOPLASMS OF BLADDER- (C67)	149	3.3	3.7	ALL	0	0	0	0	0	0	****	5	13	23	64	42	0		
	65		5.8	WM	0	0	0	0	0	0	0	****	8	16	23	15	0		
	48		2.6	WF	0	0	0	0	0	0	0	0	****	****	****	26	15	0	
	21		6.8	BM	0	0	0	0	0	0	0	0	****	****	****	10	8	0	
	15		2.5	BF	0	0	0	0	0	0	0	****	****	****	****	5	****	0	
	0		0.0	OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0		0.0	OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
MALIGNANT NEOPLASMS OF MENINGES, BRAIN AND OTHER PARTS OF CENTRAL NERVOUS SYSTEMS- (C70-C72)	164	3.7	3.9	ALL	0	****	****	****	****	****	****	17	21	36	35	30	9	0	
	80		5.8	WM	0	****	****	****	****	****	****	13	10	18	17	14	****	0	
	54		3.2	WF	0	0	0	****	0	****	0	****	8	14	13	8	6	0	
	17		3.8	BM	0	****	****	****	****	0	0	****	****	****	****	****	****	0	
	13		2.1	BF	0	****	0	****	0	0	0	0	****	****	****	****	****	0	
	0		0.0	OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0		0.0	OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
MALIGNANT NEOPLASMS OF LYMPHOID, HEMATOPOIETIC AND RELATED TISSUE- (C81-C96)	877	19.6	21.3	ALL	0	****	****	0	5	****	14	20	82	133	232	249	137	0	
	352		28.2	WM	0	0	0	0	****	****	****	9	31	59	101	107	37	0	
	322		18.0	WF	0	0	****	0	****	****	5	5	24	30	78	106	71	0	
	113		28.5	BM	0	0	****	0	****	0	0	5	16	24	32	16	18	0	
	84		13.9	BF	0	****	0	0	0	0	5	****	8	18	21	19	11	0	
	****		6.3	OM	0	0	0	0	0	0	0	0	****	****	0	0	0	0	
	****		4.4	OF	0	0	0	0	0	0	0	0	0	****	0	****	0	0	

Table D11 continues on the next page.

Table D11 (continued).
Deaths (Exclusive Of Stillbirths) By Selected Causes, Sex, Race, And Age
Louisiana Residents, 2000

Cause Of Death and ICD-10 Code	Total	Rates		Race & Sex	Age In Years													
		Crude ⁺	Age- Adj. ⁺⁺		LT 1	1- 4	5- 9	10- 14	15- 19	20- 24	25- 34	35- 44	45- 54	55- 64	65- 74	75- 84	85+	Unk.
HODGKIN'S DISEASE- (C81)	16 *** 10 0 **** **** 0	0.4	0.4 0.3 0.6 0.0 0.2 1.5 0.0	ALL WM WF BM BF OM OF	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 **** 0 0 0 0 0 0	**** 0 **** 0 0 **** 0 0	**** 0 **** 0 0 **** 0 0	**** **** 0 **** 0 **** 0 0	**** **** 0 **** **** 0 0	**** **** 0 **** 0 **** 0 0	**** **** 0 0 0 0 0 0	**** 0 **** 0 0 0 0 0	0 0 0 0 0 0 0
NON-HODGKIN'S LYMPHOMA- (C82-C85)	323 130 142 27 22 **** 0	7.2	7.9 10.4 8.0 6.3 3.8 3.3 0.0	ALL WM WF BM BF OM OF	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	5 **** **** 0 0 0 0 0	10 5 **** **** 0 0 0 0	36 17 12 **** **** 6 ****	51 19 18 7 9 0 0	74 29 32 9 7 0 0	97 47 43 0 7 0 0	50 12 31 **** **** 0 0	0 0 0 0 0 0 0	
LEUKEMIA- (C91-C95)	348 149 123 44 30 **** ****	7.8	8.5 12.2 6.9 11.0 4.8 1.5 2.7	ALL WM WF BM BF OM OF	0 0 0 0 0 0 0	**** 0 0 **** **** 0 0	**** 0 **** **** 0 0 0	0 **** 0 0 0 0 0	5 **** **** **** 0 0 0 0	**** **** **** 0 5 0 0	8 **** **** **** **** 0 0 0	8 29 9 7 9 6 0 0	45 21 9 35 9 8 0 0	99 49 10 16 7 8 0 0	88 40 38 **** **** 0 0	61 21 28 10 **** 0 0	0 0 0 0 0 0 0	
MULTIPLE MYELOMA AND IMMUOPROLIFERATIVE NEOPLASMS- (C88, C90)	189 68 47 42 31 0 ****	4.2	4.6 5.2 2.6 11.2 5.2 0.0 1.7	ALL WM WF BM BF OM OF	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 **** **** 0 0 0 0 0	**** **** **** 0 **** 0 0 0	13 **** **** **** **** 6 0 ****	36 18 **** 8 8 0 0	56 22 10 16 8 0 0	60 19 22 11 8 0 0	23 **** 9 **** 6 0 0 0	0 0 0 0 0 0 0	
OTHER AND UNSPECIFIED MALIGNANT NEOPLASMS OF LYMPHOID, HEMATOPOIETIC AND RELATED TISSUE- (C96)	**** **** 0 0 0 0 0	0.0	0.0 0.1 0.0 0.0 0.0 0.0 0.0	ALL WM WF BM BF OM OF	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	**** **** 0 0 0 0 0	0 **** 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	
ALL OTHER AND UNSPECIFIED MALIGNANT NEOPLASMS (OTHER IN C00-C97)	1085 410 358 156 155 **** ****	24.3	26.4 33.1 20.3 38.5 25.5 6.7 5.8	ALL WM WF BM BF OM OF	0 0 0 0 0 0 0	**** 0 0 **** **** 0 0	**** **** **** **** 0 0 0	**** 0 **** **** **** 0 0	5 **** **** 0 0 0 0 0	**** **** 0 **** **** 0 0 0	10 **** **** 8 11 0 0 0	38 7 12 25 8 25 0	114 38 55 74 25 26 ****	184 64 55 74 30 30 ****	260 126 74 28 40 **** 0	330 121 122 46 16 0 ****	136 47 66 7 16 0 0	
IN SITU NEOPLASMS, BENIGN NEOPLASMS AND NEOPLASMS OF UNCERTAIN OR UNKNOWN BEHAVIOR (D00-D48)	272 95 110 28 38 0 ****	6.1	6.7 8.0 6.1 6.4 6.1 0.0 2.0	ALL WM WF BM BF OM OF	**** 0 0 0 **** 0 ****	0 0 **** 0 0 0 0	**** 0 **** 0 **** 0 0	**** 0 0 **** 0 0 0	**** 0 0 **** 0 0 0	**** **** 0 **** **** 0 0	13 5 **** **** **** 0 0	11 **** **** **** **** 5 0 0	36 14 12 5 6 0 0	67 19 31 10 6 0 ****	90 39 39 **** 8 0 ****	46 13 22 **** 10 0 0	0 0 0 0 0 0 0	
ANEMIAS- (D50-D64)	110 26 37 18 28 0 ****	2.5	2.7 2.5 2.0 4.0 4.2 0.0 2.7	ALL WM WF BM BF OM OF	0 0 0 0 0 0 0	**** 0 0 **** 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	**** 0 0 0 **** **** 0 0	**** 0 0 **** **** **** 0 0	7 0 0 **** **** 5 0 0	8 0 **** **** **** 0 0 0	11 **** **** 5 **** **** 0 0	11 5 0 **** **** 0 0	31 10 17 **** **** 0 ****	34 9 16 **** 6 0 0	0 0 0 0 0 0 0	

Table D11 continues on the next page.

Table D11 (continued).
Deaths (Exclusive Of Stillbirths) By Selected Causes, Sex, Race, And Age
Louisiana Residents, 2000

Cause Of Death and ICD-10 Code	Total	Rates		Race & Sex	Age In Years														
		Crude ⁺	Age- Adj. ⁺⁺		LT 1	1- 4	5- 9	10- 14	15- 19	20- 24	25- 34	35- 44	45- 54	55- 64	65- 74	75- 84	85+	Unk.	
DIABETES MELLITUS- (E10-E14)	1689	37.8	41.3	ALL	0	0	****	0	0	****	12	43	149	260	421	510	288	****	
	426		34.8	WM	0	0	****	0	0	****	5	10	46	64	109	134	55	****	
	521		28.7	WF	0	0	0	0	0	0	****	9	23	59	102	186	140	0	
	266		66.0	BM	0	0	0	0	0	****	****	13	32	56	86	57	17	0	
	472		79.7	BF	0	0	0	0	0	****	****	11	48	78	123	133	76	0	
	****		1.8	OM	0	0	0	0	0	0	0	0	0	****	0	0	0	0	
	****		5.4	OF	0	0	0	0	0	0	0	0	0	****	****	0	0	0	
NUTRITIONAL DEFICIENCIES- (E40-E64)	119	2.7	3.0	ALL	0	****	0	0	0	0	0	****	5	8	20	32	51	0	
	22		2.0	WM	0	0	0	0	0	0	0	0	****	****	****	9	6	0	
	51		2.7	WF	0	0	0	0	0	0	0	****	****	****	8	12	24	0	
	21		6.0	BM	0	****	0	0	0	0	0	****	****	****	6	****	7	0	
	25		4.2	BF	0	0	0	0	0	0	0	0	****	0	****	7	14	0	
	0		0.0	OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0		0.0	OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	MALNUTRITION- (E40-E46)		112	2.5	2.8	ALL	0	****	0	0	0	0	0	****	5	7	17	31	49
20		1.9	WM		0	0	0	0	0	0	0	0	****	****	****	8	6	0	
48		2.6	WF		0	0	0	0	0	0	0	****	****	****	7	12	23	0	
20		5.8	BM		0	****	0	0	0	0	0	****	****	****	5	****	7	0	
24		4.0	BF		0	0	0	0	0	0	0	0	****	0	****	7	13	0	
0		0.0	OM		0	0	0	0	0	0	0	0	0	0	0	0	0	0	
0		0.0	OF		0	0	0	0	0	0	0	0	0	0	0	0	0	0	
OTHER NUTRITIONAL DEFICIENCIES- (E50-E64)	7	0.2	0.2	ALL	0	0	0	0	0	0	0	0	0	****	****	****	****	0	
	****		0.2	WM	0	0	0	0	0	0	0	0	0	****	****	****	0	0	
	****		0.2	WF	0	0	0	0	0	0	0	0	0	****	****	0	****	0	
	****		0.3	BM	0	0	0	0	0	0	0	0	0	****	****	0	0	0	
	****		0.2	BF	0	0	0	0	0	0	0	0	0	****	****	0	****	0	
	0		0.0	OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0		0.0	OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
MENINGITIS- (G00, G03)	16	0.4	0.4	ALL	****	****	0	****	0	0	****	****	****	****	****	****	****	0	
	0		0.0	WM	0	0	0	0	0	0	0	0	****	0	0	0	0	0	
	7		0.5	WF	0	****	0	0	0	0	****	0	****	****	****	0	****	0	
	5		1.2	BM	0	0	0	****	0	0	****	0	0	****	****	****	0	0	
	****		0.5	BF	****	0	0	0	0	0	0	0	0	****	0	0	0	0	
	0		0.0	OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0		0.0	OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
PARKINSON'S DISEASE- (G20-G21)	196	4.4	5.0	ALL	0	0	0	0	0	0	0	****	****	27	104	63	0		
	93		8.7	WM	0	0	0	0	0	0	0	0	****	13	58	21	0		
	83		4.4	WF	0	0	0	0	0	0	0	****	0	9	40	33	0		
	12		3.7	BM	0	0	0	0	0	0	0	0	****	5	****	0	0		
	8		1.3	BF	0	0	0	0	0	0	0	0	****	****	6	0	0		
	0		0.0	OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0		0.0	OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
ALZHEIMER'S DISEASE- (G30)	811	18.1	20.9	ALL	0	0	0	0	0	0	0	****	11	73	304	421	0		
	220		22.4	WM	0	0	0	0	0	0	0	****	5	33	88	93	0		
	445		22.9	WF	0	0	0	0	0	0	0	****	****	28	165	248	0		
	44		14.5	BM	0	0	0	0	0	0	0	0	****	5	17	20	0		
	96		16.0	BF	0	0	0	0	0	0	0	0	****	7	29	59	0		
	****		12.2	OM	0	0	0	0	0	0	0	0	0	****	0	0	0	0	
	****		8.0	OF	0	0	0	0	0	0	0	0	0	****	****	****	0	0	
MAJOR CARDIOVASCULAR DISEASES- (I00-I78)	14913	333.7	371.0	ALL	9	7	****	****	12	25	63	369	968	1643	2819	4381	4604	5	
	4931		428.2	WM	****	****	****	****	****	5	26	120	327	675	1162	1585	1020	****	
	5540		294.2	WF	0	****	****	****	0	6	10	54	150	314	774	1699	2529	0	
	2057		535.3	BM	5	****	****	****	5	7	17	118	271	369	453	497	309	****	
	2317		384.3	BF	****	****	0	0	****	7	10	75	217	273	414	580	731	****	
	32		97.6	OM	0	0	0	0	0	0	0	0	****	8	10	5	6	0	
	36		86.0	OF	0	0	0	0	0	0	0	****	0	****	6	15	9	0	

Table D11 continues on the next page.

Table D11 (continued).
Deaths (Exclusive Of Stillbirths) By Selected Causes, Sex, Race, And Age
Louisiana Residents, 2000

Cause Of Death and ICD-10 Code	Total	Rates		Race & Sex	Age In Years														85+	Unk.
		Crude ⁺	Age- Adj. ⁺⁺		LT 1	1- 4	5- 9	10- 14	15- 19	20- 24	25- 34	35- 44	45- 54	55- 64	65- 74	75- 84				
DISEASES OF HEART- (I00-I09, I11, I13,I20-I51)	11551	258.5	286.7	ALL	7	5	****	****	9	19	43	307	763	1365	2257	3351	3415	5		
	4077		350.7	WM	****	****	****	****	****	****	20	112	284	595	976	1276	801	****		
	4174		222.3	WF	0	****	0	****	0	5	5	43	121	261	609	1279	1849	0		
	1580		408.7	BM	****	****	****	0	****	6	11	96	211	287	355	368	233	****		
	1667		276.6	BF	****	****	0	0	****	****	7	54	145	213	305	411	521	****		
	22		68.0	OM	0	0	0	0	0	0	0	0	****	5	7	****	****	0		
	31		73.3	OF	0	0	0	0	0	0	0	0	****	0	****	5	13	7	0	
ACUTE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASES- (I00-I09)	39	0.9	0.9	ALL	0	0	0	0	0	****	0	0	****	9	10	6	9	0		
	9		0.7	WM	0	0	0	0	0	0	0	0	****	****	****	****	0	0		
	18		1.0	WF	0	0	0	0	0	****	0	0	****	****	5	****	7	0		
	****		0.7	BM	0	0	0	0	0	0	0	0	****	0	0	0	****	0		
	9		1.5	BF	0	0	0	0	0	0	0	0	0	****	****	****	****	0		
	0		0.0	OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	0		0.0	OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
HYPERTENSIVE HEART DISEASE- (I11)	901	20.2	22.2	ALL	0	0	0	0	0	0	****	32	85	125	176	249	231	0		
	185		15.7	WM	0	0	0	0	0	0	****	8	14	28	48	50	35	0		
	278		14.7	WF	0	0	0	0	0	0	0	****	9	11	33	93	128	0		
	215		53.5	BM	0	0	0	0	0	0	****	10	38	51	49	44	22	0		
	220		36.9	BF	0	0	0	0	0	0	0	10	24	34	45	62	45	0		
	****		5.7	OM	0	0	0	0	0	0	0	0	0	0	0	0	****	0		
	****		3.7	OF	0	0	0	0	0	0	0	0	0	0	****	****	0	0		
HYPERTENSIVE HEART AND RENAL DISEASE- (I13)	74	1.7	1.8	ALL	0	0	0	0	0	0	****	****	5	6	15	18	26	0		
	16		1.5	WM	0	0	0	0	0	0	****	0	0	****	6	****	5	0		
	17		0.9	WF	0	0	0	0	0	0	0	0	0	0	****	5	10	0		
	19		5.3	BM	0	0	0	0	0	0	0	****	****	****	5	****	5	0		
	22		3.6	BF	0	0	0	0	0	0	0	****	****	****	****	6	6	0		
	0		0.0	OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	0		0.0	OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
ISCHEMIC HEART DISEASE- (I20-I25)	7384	165.2	183.0	ALL	0	0	0	0	****	****	16	182	486	925	1509	2223	2033	5		
	2870		243.5	WM	0	0	0	0	****	0	10	79	204	450	710	904	510	****		
	2581		138.0	WF	0	0	0	0	0	****	****	24	76	176	408	825	1069	0		
	953		249.5	BM	0	0	0	0	****	****	****	56	125	177	209	235	144	****		
	941		156.9	BF	0	0	0	0	0	****	****	23	79	115	172	246	303	****		
	19		56.5	OM	0	0	0	0	0	0	0	0	****	****	7	****	****	0		
	20		48.8	OF	0	0	0	0	0	0	0	0	0	****	****	10	****	0		
ACUTE MYOCARDIAL INFARCTION- (I21-I22)	3398	76.0	83.4	ALL	0	0	0	0	****	****	9	95	287	549	758	976	721	****		
	1375		112.2	WM	0	0	0	0	0	0	5	44	122	285	348	378	192	****		
	1119		60.8	WF	0	0	0	0	0	0	****	8	51	100	215	380	363	0		
	467		119.1	BM	0	0	0	0	****	0	****	31	67	96	106	106	58	0		
	418		69.7	BF	0	0	0	0	0	****	0	12	46	65	85	104	105	0		
	9		29.4	OM	0	0	0	0	0	0	0	0	****	****	****	****	****	0		
	10		24.7	OF	0	0	0	0	0	0	0	0	0	****	****	6	****	0		
OTHER ACUTE ISCHEMIC HEART DISEASE- (I24)	33	0.7	0.8	ALL	0	0	0	0	****	****	****	****	6	6	5	****	6	0		
	11		0.8	WM	0	0	0	0	****	0	****	****	****	****	****	****	0	0		
	8		0.5	WF	0	0	0	0	0	****	0	****	0	0	****	****	****	0		
	5		0.9	BM	0	0	0	0	0	****	****	0	****	****	****	0	0	0		
	8		1.3	BF	0	0	0	0	0	0	0	0	****	****	0	0	****	0		
	0		0.0	OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	****		2.6	OF	0	0	0	0	0	0	0	0	0	0	0	0	****	0		
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE- (I20, I25)	3953	88.5	98.8	ALL	0	0	0	0	0	0	****	85	193	370	746	1245	1306	****		
	1484		130.5	WM	0	0	0	0	0	0	****	34	80	164	359	525	318	****		
	1454		76.7	WF	0	0	0	0	0	0	0	15	25	76	192	444	702	0		
	481		129.5	BM	0	0	0	0	0	0	0	25	57	80	102	129	86	****		
	515		86.0	BF	0	0	0	0	0	0	****	11	30	46	87	142	197	****		
	10		27.1	OM	0	0	0	0	0	0	0	0	****	****	5	****	****	0		
	9		21.5	OF	0	0	0	0	0	0	0	0	0	****	****	****	****	0		

Table D11 continues on the next page.

Table D11 (continued).
Deaths (Exclusive Of Stillbirths) By Selected Causes, Sex, Race, And Age
Louisiana Residents, 2000

Cause Of Death and ICD-10 Code	Total	Rates		Race & Sex	Age In Years															85+	Unk.
		Crude ⁺	Age- Adj. ⁺⁺		LT 1	1- 4	5- 9	10- 14	15- 19	20- 24	25- 34	35- 44	45- 54	55- 64	65- 74	75- 84					
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE, SO DESCRIBED- (I25.0)	1348	30.2	33.8	ALL	0	0	0	0	0	0	****	32	76	134	210	384	509	****			
	452		39.9	WM	0	0	0	0	0	0	****	12	37	63	95	139	105	0			
	499		26.1	WF	0	0	0	0	0	0	0	8	8	23	46	136	278	0			
	185		50.7	BM	0	0	0	0	0	0	0	7	19	31	38	55	34	****			
	205		33.9	BF	0	0	0	0	0	0	0	5	11	16	29	52	91	****			
	5		13.9	OM	0	0	0	0	0	0	0	0	****	****	****	0	****	0			
	****		5.4	OF	0	0	0	0	0	0	0	0	0	0	0	****	****	0	0		
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE- (I20, I25.1-I25.9)	2605	58.3	65.0	ALL	0	0	0	0	0	0	****	53	117	236	536	861	797	****			
	1032		90.6	WM	0	0	0	0	0	0	****	22	43	101	264	386	213	****			
	955		50.6	WF	0	0	0	0	0	0	0	7	17	53	146	308	424	0			
	296		78.8	BM	0	0	0	0	0	0	0	18	38	49	64	74	52	****			
	310		52.1	BF	0	0	0	0	0	0	****	6	19	30	58	90	106	0			
	5		13.2	OM	0	0	0	0	0	0	0	0	0	****	****	****	0	0			
	7		16.1	OF	0	0	0	0	0	0	0	0	0	****	****	****	****	0			
OTHER HEART DISEASES- (I26-I51)	3153	70.6	78.7	ALL	7	5	****	****	7	15	23	90	183	300	547	855	1116	0			
	997		89.4	WM	****	****	****	****	****	****	7	25	65	114	209	316	251	0			
	1280		67.8	WF	0	****	0	****	0	****	****	15	35	71	161	355	635	0			
	390		99.8	BM	****	****	****	0	****	5	7	29	44	57	92	85	61	0			
	475		77.6	BF	****	****	0	0	****	****	6	19	39	57	84	95	166	0			
	****		5.8	OM	0	0	0	0	0	0	0	0	0	****	0	****	0	0			
	9		20.7	OF	0	0	0	0	0	0	0	****	0	0	****	****	****	0			
ACUTE AND SUBACUTE ENDOCARDITIS- (I33)	16	0.4	0.4	ALL	0	0	0	0	0	0	0	****	****	****	6	****	****	0			
	****		0.3	WM	0	0	0	0	0	0	0	****	0	****	****	0	0	0			
	7		0.4	WF	0	0	0	0	0	0	0	0	****	****	****	****	****	0			
	****		0.6	BM	0	0	0	0	0	0	0	****	0	****	****	0	0	0			
	****		0.3	BF	0	0	0	0	0	0	0	0	****	0	0	0	0	0			
	0		0.0	OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	0		0.0	OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
DISEASES OF PERICARDIUM AND ACUTE MYOCARDITIS- (I30-I31, I40)	8	0.2	0.2	ALL	****	****	0	0	0	0	0	****	****	****	****	****	0	0			
	5		0.4	WM	0	0	0	0	0	0	0	****	****	****	****	0	0				
	****		0.1	WF	0	****	0	0	0	0	0	0	0	0	0	0	0	0			
	****		0.3	BM	****	0	0	0	0	0	0	0	****	0	0	0	0	0			
	0		0.0	BF	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	0		0.0	OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	0		0.0	OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
HEART FAILURE- (I50)	1077	24.1	27.4	ALL	****	****	0	0	0	0	0	10	27	68	154	298	518	0			
	290		28.7	WM	0	0	0	0	0	0	0	****	10	20	44	100	114	0			
	497		25.7	WF	0	0	0	0	0	0	0	****	****	15	56	128	292	0			
	105		30.0	BM	0	0	0	0	0	0	0	****	7	17	24	28	27	0			
	182		30.0	BF	****	****	0	0	0	0	0	****	6	16	30	40	84	0			
	0		0.0	OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	****		8.0	OF	0	0	0	0	0	0	0	0	0	0	****	****	****	0			
ALL OTHER FORMS OF HEART DISEASE- (I26-I28, I34-I38, I42-I49, I51)	2052	45.9	50.8	ALL	5	****	****	****	7	15	23	78	150	228	386	555	597	0			
	698		60.1	WM	****	****	****	****	****	****	7	22	53	92	162	215	137	0			
	775		41.6	WF	0	0	0	****	0	****	****	13	30	55	102	226	342	0			
	280		68.8	BM	****	****	****	0	****	5	7	26	36	39	67	57	34	0			
	291		47.3	BF	****	****	0	0	****	****	6	15	31	41	54	55	82	0			
	****		5.8	OM	0	0	0	0	0	0	0	0	0	****	0	****	0	0			
	6		12.7	OF	0	0	0	0	0	0	0	****	0	0	****	****	****	0			
ESSENTIAL (PRIMARY) HYPERTENSION AND HYPERTENSIVE RENAL DISEASE- (I10, I12)	275	6.2	6.9	ALL	0	0	0	0	0	0	****	10	15	34	48	73	91	0			
	52		4.6	WM	0	0	0	0	0	0	0	****	****	5	14	17	12	0			
	92		4.8	WF	0	0	0	0	0	0	0	0	****	8	6	24	53	0			
	57		14.6	BM	0	0	0	0	0	0	****	5	5	11	10	14	8	0			
	74		12.4	BF	0	0	0	0	0	0	0	****	6	10	18	18	18	0			
	0		0.0	OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	0		0.0	OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0			

Table D11 continues on the next page.

Table D11 (continued).
Deaths (Exclusive Of Stillbirths) By Selected Causes, Sex, Race, And Age
Louisiana Residents, 2000

Cause Of Death and ICD-10 Code	Total	Rates		Race & Sex	Age In Years															Unk.
		Crude ⁺	Age- Adj. ⁺⁺		LT 1	1- 4	5- 9	10- 14	15- 19	20- 24	25- 34	35- 44	45- 54	55- 64	65- 74	75- 84	85+			
CEREBROVASCULAR DISEASES- (I60-I69)	2494	55.8	62.5	ALL	****	****	***	****	****	****	12	42	166	201	403	781	876	0		
	611		55.9	WM	****	0	****	****	0	****	5	6	35	58	119	221	164	0		
	1047		55.1	WF	0	****	***	0	0	****	****	7	22	39	128	336	509	0		
	352		93.3	BM	0	0	0	****	****	****	****	14	47	61	76	97	52	0		
	472		78.1	BF	0	****	0	0	****	****	****	15	61	40	78	124	148	0		
	7		19.0	OM	0	0	0	0	0	0	0	0	****	****	****	****	****	0		
	5		12.7	OF	0	0	0	0	0	0	0	0	0	0	****	****	****	0		
ATHEROSCLEROSIS- (I70)	214	4.8	5.5	ALL	0	0	0	0	0	0	0	****	6	8	18	60	120	0		
	46		4.5	WM	0	0	0	0	0	0	0	0	****	****	9	16	17	0		
	100		5.1	WF	0	0	0	0	0	0	0	0	****	****	7	20	71	0		
	25		7.6	BM	0	0	0	0	0	0	0	****	****	****	****	9	9	0		
	42		7.1	BF	0	0	0	0	0	0	0	0	****	****	****	15	22	0		
	****		5.7	OM	0	0	0	0	0	0	0	0	0	0	0	0	****	0		
	0		0.0	OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
OTHER DISEASES OF CIRCULATORY SYSTEM- (I71-I78)	379	8.5	9.4	ALL	****	0	0	0	0	****	****	8	18	35	93	116	102	0		
	145		12.5	WM	0	0	0	0	0	****	****	****	14	44	55	26	0			
	127		6.9	WF	0	0	0	0	0	****	****	5	5	24	40	47	0			
	43		11.2	BM	****	0	0	0	0	0	****	6	8	11	9	7	0			
	62		10.1	BF	0	0	0	0	0	****	****	****	8	12	12	22	0			
	****		4.9	OM	0	0	0	0	0	0	0	0	0	****	0	0	0			
	0		0.0	OF	0	0	0	0	0	0	0	0	0	0	0	0	0			
AORTIC ANEURYSM AND DISSECTION- (I71)	187	4.2	4.6	ALL	0	0	0	0	0	****	****	****	7	19	52	59	43	0		
	94		8.1	WM	0	0	0	0	0	****	****	****	11	29	32	17	0			
	54		2.9	WF	0	0	0	0	0	****	0	0	****	14	21	16	0			
	16		4.3	BM	0	0	0	0	0	0	****	****	****	****	****	5	0			
	21		3.4	BF	0	0	0	0	0	****	****	0	****	****	5	****	5	0		
	****		4.9	OM	0	0	0	0	0	0	0	0	0	****	0	0	0			
	0		0.0	OF	0	0	0	0	0	0	0	0	0	0	0	0	0			
OTHER DISEASES OF ARTERIES, ARTERIOLES AND CAPILLARIES- (I72-I78)	192	4.3	4.8	ALL	****	0	0	0	0	****	6	11	16	41	57	59	0			
	51		4.5	WM	0	0	0	0	0	0	0	****	****	15	23	9	0			
	73		4.0	WF	0	0	0	0	0	****	****	5	****	10	19	31	0			
	27		6.9	BM	****	0	0	0	0	0	0	****	5	9	7	****	0			
	41		6.7	BF	0	0	0	0	0	0	****	****	5	7	8	17	0			
	0		0.0	OM	0	0	0	0	0	0	0	0	0	0	0	0	0			
	0		0.0	OF	0	0	0	0	0	0	0	0	0	0	0	0	0			
OTHER DISORDERS OF CIRCULATORY SYSTEM- (I80-I99)	64	1.4	1.6	ALL	0	****	0	0	0	****	****	****	7	15	18	15	0			
	24		2.0	WM	0	0	0	0	0	0	****	****	6	5	5	****	0			
	25		1.4	WF	0	0	0	0	0	****	****	0	****	7	8	6	0			
	****		0.9	BM	0	****	0	0	0	0	0	****	0	****	0	****	0			
	11		1.9	BF	0	0	0	0	0	0	0	0	0	****	5	****	0			
	0		0.0	OM	0	0	0	0	0	0	0	0	0	0	0	0	0			
	0		0.0	OF	0	0	0	0	0	0	0	0	0	0	0	0	0			
INFLUENZA AND PNEUMONIA - (J10-J18)	969	21.7	24.6	ALL	12	****	***	****	****	****	5	22	28	50	108	284	451	0		
	297		29.0	WM	****	0	***	****	****	****	0	6	8	19	36	116	106	0		
	410		21.5	WF	0	****	0	0	0	****	****	9	****	17	39	101	236	0		
	135		38.7	BM	8	****	0	0	0	****	****	****	8	8	23	34	46	0		
	121		19.9	BF	****	0	0	0	0	****	****	6	5	10	32	62	0			
	****		8.8	OM	0	0	0	0	0	0	0	****	****	0	****	0	0			
	****		3.6	OF	0	0	0	0	****	0	0	0	0	0	0	****	0			
INFLUENZA - (J10-J11)	25	0.6	0.6	ALL	0	0	0	0	0	0	0	0	****	****	****	6	14	0		
	12		1.4	WM	0	0	0	0	0	0	0	0	****	0	0	****	8	0		
	10		0.5	WF	0	0	0	0	0	0	0	0	****	****	****	****	5	0		
	0		0.0	BM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	****		0.5	BF	0	0	0	0	0	0	0	0	0	****	****	****	****	0		
	0		0.0	OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	0		0.0	OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0		

Table D11 continues on the next page.

Table D11 (continued).
Deaths (Exclusive Of Stillbirths) By Selected Causes, Sex, Race, And Age
Louisiana Residents, 2000

Cause Of Death and ICD-10 Code	Total	Rates		Race & Sex	Age In Years														
		Crude ⁺	Age- Adj. ⁺⁺		LT 1	1- 4	5- 9	10- 14	15- 19	20- 24	25- 34	35- 44	45- 54	55- 64	65- 74	75- 84	85+	Unk.	
PNEUMONIA - (J12-J18)	944	21.1	23.9	ALL	12	****	****	****	****	****	5	22	27	48	106	278	437	0	
	285		27.6	WM	****	0	****	****	****	****	0	6	7	19	36	113	98	0	
	400		20.9	WF	0	****	0	0	0	****	****	9	****	15	38	99	231	0	
	135		38.7	BM	8	****	0	0	0	****	****	****	8	8	23	34	46	0	
	118		19.4	BF	****	0	0	0	0	0	****	****	6	5	9	31	61	0	
	****		8.8	OM	0	0	0	0	0	0	0	0	****	****	0	****	0	0	
	****		3.6	OF	0	0	0	0	****	0	0	0	0	0	0	0	****	0	
OTHER ACUTE LOWER RESPIRATORY INFECTIONS- (J20-J22)	****	0.0	0.1	ALL	****	0	0	0	0	0	0	****	0	0	0	0	0	0	
	****		0.2	WM	****	0	0	0	0	0	0	****	0	0	0	0	0	0	
	0		0.0	WF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0		0.0	BM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0		0.0	BF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0		0.0	OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0		0.0	OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
ACUTE BRONCHITIS AND BRONCHIOLITIS- (J20-J21)	****	0.0	0.1	ALL	****	0	0	0	0	0	0	****	0	0	0	0	0	0	
	****		0.2	WM	****	0	0	0	0	0	0	****	0	0	0	0	0	0	
	0		0.0	WF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0		0.0	BM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0		0.0	BF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0		0.0	OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0		0.0	OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
CHRONIC LOWER RESPIRATORY DISEASES- (J40-J47)	1682	37.6	41.6	ALL	****	0	****	****	****	****	6	21	51	169	449	626	348	****	
	672		58.3	WM	****	0	****	0	0	0	0	6	12	70	178	282	120	****	
	698		38.2	WF	0	0	0	0	0	0	****	****	15	59	192	261	164	0	
	182		49.3	BM	****	0	0	****	****	****	****	5	17	22	47	49	34	****	
	125		20.9	BF	0	0	0	0	0	****	****	6	7	18	29	33	29	0	
	****		8.1	OM	0	0	0	0	0	0	0	0	0	0	****	0	****	0	
	****		6.8	OF	0	0	0	0	0	0	0	0	0	0	****	****	0	0	
BRONCHITIS, CHRONIC AND UNSPECIFIED- (J40-J42)	15	0.3	0.4	ALL	0	0	0	0	0	0	0	0	0	****	****	****	9	****	
	7		0.7	WM	0	0	0	0	0	0	0	0	0	0	0	****	****	****	
	8		0.4	WF	0	0	0	0	0	0	0	0	0	****	****	0	6	0	
	0		0.0	BM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0		0.0	BF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0		0.0	OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0		0.0	OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
EMPHYSEMA- (J43)	277	6.2	6.8	ALL	****	0	0	0	0	0	0	5	14	29	84	112	31	****	
	115		9.5	WM	****	0	0	0	0	0	0	****	****	14	33	52	11	0	
	103		5.7	WF	0	0	0	0	0	0	0	0	****	9	33	46	13	0	
	39		9.6	BM	0	0	0	0	0	0	0	****	9	****	12	8	****	****	
	18		3.1	BF	0	0	0	0	0	0	0	****	****	****	6	5	****	0	
	****		5.7	OM	0	0	0	0	0	0	0	0	0	0	0	0	****	0	
	****		2.7	OF	0	0	0	0	0	0	0	0	0	0	0	****	0	0	
ASTHMA- (J45-J46)	79	1.8	1.9	ALL	****	0	****	****	****	****	****	10	8	10	9	16	14	0	
	9		0.7	WM	0	0	****	0	0	0	0	****	****	****	****	****	****	0	
	24		1.4	WF	0	0	0	0	0	****	****	****	****	****	****	7	5	0	
	16		3.6	BM	****	0	0	****	****	****	****	****	****	****	****	****	****	0	
	30		4.7	BF	0	0	0	0	0	****	****	5	****	5	****	5	5	0	
	0		0.0	OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0		0.0	OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
OTHER CHRONIC LOWER RESPIRATORY DISEASES- (J44, J47)	1311	29.3	32.6	ALL	****	0	0	0	0	0	****	6	29	129	355	495	294	0	
	541		47.5	WM	****	0	0	0	0	0	0	****	9	55	144	225	105	0	
	563		30.7	WF	0	0	0	0	0	0	0	****	11	46	156	208	140	0	
	127		36.1	BM	0	0	0	0	0	0	****	****	7	18	32	39	27	0	
	77		13.1	BF	0	0	0	0	0	0	0	0	****	10	20	23	22	0	
	****		2.5	OM	0	0	0	0	0	0	0	0	0	0	****	0	0	0	
	****		4.1	OF	0	0	0	0	0	0	0	0	0	0	****	0	0	0	

Table D11 continues on the next page.

Table D11 (continued).
Deaths (Exclusive Of Stillbirths) By Selected Causes, Sex, Race, And Age
Louisiana Residents, 2000

Cause Of Death and ICD-10 Code	Total	Rates		Race & Sex	Age In Years														
		Crude ⁺	Age- Adj. ⁺⁺		LT 1	1- 4	5- 9	10- 14	15- 19	20- 24	25- 34	35- 44	45- 54	55- 64	65- 74	75- 84	85+ 	Unk.	
PNEUMOCONIOSES AND CHEMICAL EFFECTS- (J60-J66, J68)	22	0.5	0.5	ALL	0	0	0	0	0	0	0	0	0	****	9	5	6	0	
	20		1.8	WM	0	0	0	0	0	0	0	0	0	****	8	5	5	0	
	0		0.0	WF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	****		0.6	BM	0	0	0	0	0	0	0	0	0	****	0	****	0	0	0
	0		0.0	BF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0		0.0	OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0		0.0	OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PNEUMONITIS DUE TO SOLIDS AND LIQUIDS- (J69)	203	4.5	5.2	ALL	0	****	0	****	0	****	****	****	8	6	28	59	96	0	
	61		6.0	WM	0	0	0	****	0	0	0	0	****	****	10	23	22	0	
	86		4.5	WF	0	0	0	0	0	0	****	****	****	0	10	22	49	0	
	26		7.4	BM	0	****	0	0	0	0	0	0	****	****	6	6	8	0	
	30		4.9	BF	0	0	0	0	0	****	0	0	0	****	****	8	17	0	
	0		0.0	OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0		0.0	OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OTHER DISEASES OF RESPIRATORY SYSTEM- (J00-J06, J30-J39, J67, J70-J98)	467	10.4	11.4	ALL	8	****	****	****	****	5	10	20	26	58	123	126	86	0	
	174		14.3	WM	****	0	0	0	0	****	****	9	5	23	61	45	25	0	
	185		10.2	WF	0	0	0	0	0	****	****	****	6	19	43	65	45	0	
	54		12.1	BM	****	****	0	0	****	****	0	6	10	8	11	5	7	0	
	50		7.9	BF	****	0	****	****	0	0	****	****	5	8	8	10	8	0	
	****		0.9	OM	0	0	0	0	0	****	0	0	0	0	0	0	0	0	0
	****		6.4	OF	0	0	0	0	0	0	****	0	0	0	0	****	****	0	0
PEPTIC ULCER- (K25-K28)	58	1.3	1.4	ALL	0	0	0	0	0	0	0	****	****	10	12	20	11	0	
	21		1.7	WM	0	0	0	0	0	0	0	****	0	****	8	7	****	0	
	17		0.9	WF	0	0	0	0	0	0	0	0	0	****	****	9	5	0	
	9		2.2	BM	0	0	0	0	0	0	0	0	****	****	****	****	0	0	0
	10		1.6	BF	0	0	0	0	0	0	0	0	****	****	****	****	****	0	0
	0		0.0	OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	****		2.6	OF	0	0	0	0	0	0	0	0	0	0	0	0	****	****	0
DISEASES OF APPENDIX- (K35-K38)	6	0.1	0.1	ALL	0	0	0	0	0	****	0	****	0	****	****	****	****	0	
	****		0.2	WM	0	0	0	0	0	0	0	****	0	0	0	****	0	0	0
	****		0.1	WF	0	0	0	0	0	0	0	0	0	0	0	0	****	0	0
	****		0.5	BM	0	0	0	0	0	0	0	0	0	****	****	0	0	0	0
	****		0.1	BF	0	0	0	0	0	****	0	0	0	0	0	0	0	0	0
	0		0.0	OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0		0.0	OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HERNIA- (K40-K46)	21	0.5	0.5	ALL	0	0	0	0	0	****	0	****	****	****	****	6	7	0	
	6		0.5	WM	0	0	0	0	0	0	0	****	0	0	****	****	****	0	0
	7		0.4	WF	0	0	0	0	0	0	0	0	0	****	0	****	****	0	0
	****		0.7	BM	0	0	0	0	0	****	0	0	0	****	0	****	****	0	0
	5		0.8	BF	0	0	0	0	0	0	0	0	0	****	****	****	****	0	0
	0		0.0	OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0		0.0	OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CHRONIC LIVER DISEASE AND CIRRHOSIS- (K70, K73-K74)	362	8.1	8.5	ALL	0	0	0	0	0	0	7	44	103	78	69	48	13	0	
	164		11.8	WM	0	0	0	0	0	0	****	21	56	37	22	21	****	0	0
	93		5.6	WF	0	0	0	0	0	0	****	5	16	18	25	19	7	0	0
	66		13.8	BM	0	0	0	0	0	0	****	11	21	15	12	****	****	0	0
	37		5.9	BF	0	0	0	0	0	0	0	7	10	8	9	****	0	0	0
	****		2.5	OM	0	0	0	0	0	0	0	0	0	0	****	0	0	0	0
	****		2.7	OF	0	0	0	0	0	0	0	0	0	0	0	****	0	0	0
ALCOHOLIC LIVER DISEASE- (K70)	143	3.2	3.3	ALL	0	0	0	0	0	0	****	29	49	34	21	6	0	0	
	70		4.8	WM	0	0	0	0	0	0	****	11	27	20	10	****	0	0	0
	20		1.3	WF	0	0	0	0	0	0	****	****	5	5	****	****	0	0	0
	33		6.4	BM	0	0	0	0	0	0	****	9	11	6	5	****	0	0	0
	19		2.9	BF	0	0	0	0	0	0	0	6	6	****	****	****	0	0	0
	0		0.0	OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	****		2.7	OF	0	0	0	0	0	0	0	0	0	0	0	****	0	0	0

Table D11 continues on the next page.

Table D11 (continued).
Deaths (Exclusive Of Stillbirths) By Selected Causes, Sex, Race, And Age
Louisiana Residents, 2000

Cause Of Death and ICD-10 Code	Total	Rates		Race & Sex	Age In Years														
		Crude ⁺	Age- Adj. ⁺⁺		LT 1	1- 4	5- 9	10- 14	15- 19	20- 24	25- 34	35- 44	45- 54	55- 64	65- 74	75- 84	85+	Unk.	
OTHER CHRONIC LIVER DISEASE AND CIRRHOSIS- (K73-K74)	219	4.9	5.2	ALL	0	0	0	0	0	0	****	15	54	44	48	42	13	0	
	94		7.0	WM	0	0	0	0	0	0	****	10	29	17	12	20	****	0	
	73		4.3	WF	0	0	0	0	0	0	****	****	11	13	22	17	7	0	
	33		7.4	BM	0	0	0	0	0	0	0	****	10	9	7	****	****	0	
	18		3.0	BF	0	0	0	0	0	0	0	****	****	5	6	****	0	0	
	****		2.5	OM	0	0	0	0	0	0	0	0	0	0	****	0	0	0	
	0		0.0	OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER- (K80-K82)	39	0.9	1.0	ALL	0	0	0	0	0	0	****	0	****	5	****	15	14	0	
	10		0.9	WM	0	0	0	0	0	0	0	0	****	****	5	****	0		
	12		0.6	WF	0	0	0	0	0	0	0	0	0	****	0	****	7	0	
	****		0.5	BM	0	0	0	0	0	0	****	0	0	0	0	****	0	0	
	14		2.4	BF	0	0	0	0	0	0	0	0	****	****	****	6	****	0	
	0		0.0	OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	****		1.4	OF	0	0	0	0	0	0	0	0	****	0	0	****	0	0	
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS- (N00-N07, N17-N19, N25-N27)	921	20.6	22.8	ALL	****	****	0	0	****	****	6	25	69	98	192	268	257	0	
	265		24.8	WM	0	0	0	0	****	****	****	****	10	24	49	95	80	0	
	263		14.2	WF	0	0	0	0	0	0	0	5	7	21	44	83	103	0	
	155		40.0	BM	****	0	0	0	****	0	****	10	29	18	36	34	25	0	
	233		38.8	BF	0	****	0	0	0	****	****	6	22	35	61	54	49	0	
	****		6.4	OM	0	0	0	0	0	0	0	0	****	0	****	0	0	0	
	****		5.4	OF	0	0	0	0	0	0	0	0	0	0	0	****	0	0	
ACUTE AND RAPIDLY PROGRESSIVE NEPHRITIC AND NEPHROTIC SYNDROME- (N00-N01, N04)	****	0.1	0.1	ALL	0	0	0	0	0	0	0	0	0	****	****	0	****	0	
	****		0.1	WM	0	0	0	0	0	0	0	0	0	****	****	0	0	0	
	****		0.1	WF	0	0	0	0	0	0	0	0	0	0	0	0	****	0	
	0		0.0	BM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0		0.0	BF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0		0.0	OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0		0.0	OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
CHRONIC GLOMERULONE- PHRITIS, NEPHRITIS & NEPHRITIS UNSPECIFIED, & RENAL SCLEROSIS UNSPECIFIED- (N02-N03, N05-N07, N26)	12	0.3	0.3	ALL	0	0	0	0	0	****	0	****	****	****	****	****	****	0	
	****		0.1	WM	0	0	0	0	0	****	0	****	0	0	0	****	0	0	
	****		0.1	WF	0	0	0	0	0	0	0	0	0	0	****	****	****	0	
	****		1.0	BM	0	0	0	0	0	0	0	0	****	0	****	****	0	0	
	****		0.7	BF	0	0	0	0	0	0	0	0	0	****	****	****	0	0	
	0		0.0	OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0		0.0	OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
RENAL FAILURE- (N17-N19)	906	20.3	22.5	ALL	****	****	0	0	****	****	6	24	68	95	188	265	255	0	
	261		24.5	WM	0	0	0	0	****	0	****	10	23	48	95	80	0		
	260		14.0	WF	0	0	0	0	0	0	5	7	21	44	82	101	0		
	151		39.0	BM	****	0	0	0	****	0	****	10	28	18	34	33	25	0	
	229		38.1	BF	0	****	0	0	0	****	****	6	22	33	60	53	49	0	
	****		6.4	OM	0	0	0	0	0	0	0	****	0	****	0	0	0	0	
	****		5.4	OF	0	0	0	0	0	0	0	0	0	0	****	0	0	0	
INFECTIONS OF KIDNEY- (N10-N12, N13.6, N15.1)	13	0.3	0.3	ALL	0	0	0	0	0	0	****	0	0	****	****	7	0		
	****		0.3	WM	0	0	0	0	0	0	0	0	0	****	0	****	0		
	10		0.5	WF	0	0	0	0	0	0	0	****	0	0	****	****	5	0	
	0		0.0	BM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	****		0.2	BF	0	0	0	0	0	0	0	0	0	****	0	0	0	0	
	0		0.0	OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0		0.0	OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
HYPERPLASIA OF PROSTATE- (N40)	****	0.1	0.1	ALL	0	0	0	0	0	0	0	0	0	0	****	****	0		
	****		0.2	WM	0	0	0	0	0	0	0	0	0	0	****	****	0		
	0		0.0	WF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	****		0.3	BM	0	0	0	0	0	0	0	0	0	0	****	****	0	0	
	0		0.0	BF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0		0.0	OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0		0.0	OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	

Table D11 continues on the next page.

Table D11 (continued).
Deaths (Exclusive Of Stillbirths) By Selected Causes, Sex, Race, And Age
Louisiana Residents, 2000

Cause Of Death and ICD-10 Code	Total	Rates		Race & Sex	Age In Years														
		Crude ⁺	Age- Adj. ⁺⁺		LT 1	1- 4	5- 9	10- 14	15- 19	20- 24	25- 34	35- 44	45- 54	55- 64	65- 74	75- 84	85+	Unk.	
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS- (N70-N76)	**** 0 0 0 **** 0 0	0.1	0.1 0.0 0.0 0.0 0.4 0.0 0.0	ALL WM WF BM BF OM OF	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	**** 0 0 0 **** 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	**** 0 0 0 **** 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	**** 0 0 0 **** 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	
PREGNANCY, CHILDBIRTH AND THE PUERPERIUM- (O00-O99)	5 0 **** 0 **** 0 0	0.1	0.1 0.0 0.1 0.0 0.5 0.0 0.0	ALL WM WF BM BF OM OF	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	**** 0 0 0 0 **** 0 0	**** 0 **** 0 **** **** 0 0	**** 0 0 0 **** **** 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH AND THE PUERPERIUM- (O10-O99)	5 0 **** 0 **** 0 0	0.1	0.1 0.0 0.1 0.0 0.5 0.0 0.0	ALL WM WF BM BF OM OF	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	**** 0 0 0 **** **** 0 0	**** 0 **** 0 **** **** 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD- (P00-P96)	289 45 42 108 90 **** ****	6.5	6.2 3.4 3.3 11.5 10.1 2.5 0.9	ALL WM WF BM BF OM OF	287 44 42 107 90 **** ****	**** 0 0 **** 0 0 0	0 0 0 0 0 0 0	**** **** 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	
CONGENITAL MALFORMATIONS, DEFORMATIONS AND CHROMOSOMAL ABNORMALITIES- (Q00-Q99)	231 67 67 43 52 0 ****	5.2	5.1 5.1 4.9 5.0 6.2 0.0 1.8	ALL WM WF BM BF OM OF	138 40 34 32 31 0 ****	14 **** **** **** **** 6 ****	5 0 **** **** 0 0 0	5 **** **** **** **** 0 0 0	8 5 **** **** 0 0 0	6 **** **** 0 **** **** 0 0	11 5 **** **** **** **** 0	15 **** 6 **** **** **** **** 0	6 **** **** 0 **** **** 0 0	8 0 **** **** **** **** 0	**** **** **** 0 **** **** 0 0	7 **** **** 0 **** **** 0 0	**** **** **** 0 **** **** 0 0	0 0 0 0 0 0 0	
SYMPTOMS, SIGNS AND ABNORMAL CLINICAL AND LABORATORY FINDINGS, NOT ELSEWHERE CLASSIFIED- (R00-R99)	624 196 260 82 82 **** ****	14.0	15.2 16.4 14.2 15.2 12.3 3.3 5.4	ALL WM WF BM BF OM OF	66 18 13 20 14 **** 0	5 **** **** **** **** 0 0 0	**** 0 0 **** **** 0 0 0	0 0 0 0 0 0 0	**** **** **** **** **** **** 0	5 **** 0 **** **** **** 0 0	14 **** **** **** **** **** 0 0	36 17 **** 6 9 **** 0	38 13 7 15 **** 0 0	49 21 9 9 10 0 0	95 36 36 13 9 **** 0	129 49 61 7 10 0 ****	180 33 124 **** 20 0 0	**** 0 0 **** 0 0 0	
ALL OTHER DISEASES (RESIDUAL)- (OTHER IN D65-N98)	2876 742 1237 406 479 7 5	64.4	70.7 63.0 67.7 93.9 76.7 15.4 10.4	ALL WM WF BM BF OM OF	24 6 5 5 7 **** 0	12 **** **** **** **** 0 0 0	11 **** **** **** **** **** 0 0	14 5 **** **** **** **** 0 0	14 **** **** 7 5 **** ****	27 8 **** 9 5 **** 0	72 17 12 23 19 **** 0	183 55 46 48 34 **** 0	245 62 56 66 58 **** 0	335 120 104 57 53 0 ****	437 125 179 59 73 0 ****	687 199 317 72 98 **** 0	814 138 506 48 119 **** 0	**** 0 0 **** 0 0 0	
ACCIDENTS- (V01-X59,Y85-Y86)	1989 904 444 431 193 12 5	44.5	45.6 66.7 27.7 74.0 27.1 17.7 8.2	ALL WM WF BM BF OM OF	20 **** **** 9 7 0 0	51 12 10 24 **** **** 0	36 10 5 11 10 0 0	33 13 9 8 **** 0 0	153 72 26 36 16 0 ****	208 112 33 46 16 0 ****	271 159 34 58 19 **** 0	321 160 62 71 25 **** 0	262 130 38 62 27 **** 0	146 68 28 37 13 0 ****	161 65 43 34 18 0 ****	164 54 75 17 16 **** ****	163 47 79 18 19 0 0	0 0 0 0 0 0 0	

Table D11 continues on the next page.

Table D11 (continued).
Deaths (Exclusive Of Stillbirths) By Selected Causes, Sex, Race, And Age
Louisiana Residents, 2000

Cause Of Death and ICD-10 Code	Total	Rates		Race & Sex	Age In Years														
		Crude ⁺	Age- Adj. ⁺⁺		LT 1	1- 4	5- 9	10- 14	15- 19	20- 24	25- 34	35- 44	45- 54	55- 64	65- 74	75- 84	85+	Unk.	
TRANSPORT ACCIDENTS- (V01-V99, Y85)	1048 511 216 208 106 6 ****	23.5	23.4 36.1 14.4 33.2 14.0 9.7 2.0	ALL WM WF BM BF OM OF	5 **** **** **** 0 0 0	23 6 7 7 **** **** 0	18 **** **** 5 6 0 0	22 7 9 5 21 14 0 0	117 56 25 24 26 15 0 0	155 90 24 25 38 18 **** 0	179 100 22 36 37 15 **** 0	166 77 36 37 15 **** 0	152 79 19 35 18 **** 0	69 39 15 10 5 0 0	73 28 21 13 10 0 ****	53 19 26 5 **** **** 0	16 5 8 **** 0 0 0	0 0 0 0 0 0 0	
MOTOR VEHICLE ACCIDENTS- (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20- V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0- V87.8, V88.0-V88.8, V89.0, V89.2)	981 460 209 199 106 6 ****	22.0	21.9 32.6 13.9 31.8 14.0 9.7 2.0	ALL WM WF BM BF OM OF	5 **** **** **** 0 0 0	23 6 7 7 **** **** 0	18 **** **** 5 6 0 0	22 7 9 5 20 14 0 0	113 54 24 25 38 15 0 0	148 84 24 25 38 18 **** 0	167 89 21 34 33 15 **** 0	150 68 32 34 15 **** 0	136 65 19 33 18 **** 0	62 34 15 8 5 0 0	69 24 21 13 10 0 ****	53 19 26 5 **** **** 0	15 5 7 **** 0 0 0	0 0 0 0 0 0 0	
OTHER LAND TRANSPORT ACCIDENTS- (V01, V05-V06, V09.1, V09.3-V09.9, V10-V11, V15- V18, V19.3, V19.8-V19.9, V80.0- V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3, V89.9)	11 7 **** **** 0 0 0	0.2	0.3 0.5 0.2 0.2 0.0 0.0 0.0	ALL WM WF BM BF OM OF	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	**** 0 **** 0 0 0 0	**** **** 0 0 0 0 0	**** **** 0 0 0 0 0	**** **** 0 0 0 0 0	**** **** 0 0 0 0 0	0 0 0 0 0 0 0	**** **** 0 0 0 0 0	0 0 0 0 0 0 0	**** 0 **** 0 0 0 0	0 0 0 0 0 0 0	
WATER, AIR AND SPACE, AND OTHER AND UNSPECIFIED TRANSPORT ACCIDENTS AND THEIR SEQUELAE- (V90-V99, Y85)	56 44 **** 8 0 0 0	1.3	1.3 3.0 0.3 1.3 0.0 0.0 0.0	ALL WM WF BM BF OM OF	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	**** **** 0 **** 0 0 0	6 5 0 **** 0 0 0	9 8 0 **** 0 0 0	13 8 **** **** 0 0 0	15 13 0 **** 0 0 0	7 5 0 **** 0 0 0	**** **** 0 **** 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	
NONTRANSPORT ACCIDENTS- (W00-X59, Y86)	941 393 228 223 87 6 ****	21.1	22.1 30.6 13.4 40.8 13.1 8.1 6.1	ALL WM WF BM BF OM OF	15 **** **** 6 7 0 0	28 6 **** 17 **** 0 0	18 6 **** 6 **** 0 0	11 6 0 **** **** 0 0	36 16 0 15 **** **** 0	53 22 9 20 **** **** 0	92 59 12 20 **** **** 0	155 83 26 34 10 **** 0	110 51 19 27 9 **** 0	77 29 13 27 8 0 0	88 37 22 21 8 0 0	111 35 49 12 14 0 ****	147 42 71 15 19 0 0	0 0 0 0 0 0 0	
FALLS- (W00-W19)	106 58 31 11 6 0 0	2.4	2.6 4.9 1.7 2.5 0.9 0.0 0.0	ALL WM WF BM BF OM OF	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	**** **** 0 0 0 0 0	0 0 0 0 0 0 0	6 **** 0 **** 0 0 0	12 8 **** **** 0 0 0	12 10 **** **** 0 0 0	9 5 **** **** **** 0 0	16 7 **** **** **** 0 0	21 11 9 **** 0 0 0	28 11 14 **** **** 0 0	0 0 0 0 0 0 0	
ACCIDENTAL DISCHARGE OF FIREARMS- (W32-W34)	29 16 **** 10 **** 0 0	0.6	0.6 1.1 0.1 1.5 0.1 0.0 0.0	ALL WM WF BM BF OM OF	0 0 0 0 0 0 0	**** 0 0 **** 0 0 0	0 0 0 0 0 0 0	**** **** 0 **** **** 0 0	5 **** **** **** **** 0 0	**** **** 0 **** **** 0 0	**** **** 0 **** **** 0 0	11 5 **** **** 0 0 0	0 0 0 0 0 0 0	**** **** 0 **** **** 0 0	**** 0 0 **** **** 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	
ACCIDENTAL DROWNING AND SUBMERSION- (W65-W74)	95 46 6 37 5 0 ****	2.1	2.1 3.3 0.4 5.3 0.7 0.0 1.0	ALL WM WF BM BF OM OF	0 0 0 0 0 0 0	11 6 **** **** **** 0 0	6 **** **** **** **** 0 0	6 **** 0 **** **** 0 0	12 **** 0 8 0 0 0	9 **** **** 5 0 0 0	13 7 0 6 0 0 0	17 9 **** 6 **** 0 0	6 **** 0 **** **** 0 0	7 **** **** **** **** 0 0	**** **** 0 **** **** 0 0	**** **** 0 **** **** 0 0	**** 0 **** **** 0 0 0	0 0 0 0 0 0 0	

Table D11 continues on the next page.

Table D11 (continued).
Deaths (Exclusive Of Stillbirths) By Selected Causes, Sex, Race, And Age
Louisiana Residents, 2000

Cause Of Death and ICD-10 Code	Total	Rates		Race & Sex	Age In Years															Unk.
		Crude ⁺	Age- Adj. ⁺⁺		LT 1	1- 4	5- 9	10- 14	15- 19	20- 24	25- 34	35- 44	45- 54	55- 64	65- 74	75- 84	85+			
ACCIDENTAL EXPOSURE TO SMOKE, FIRE AND FLAMES- (X00-X09)	100 28 12 32 28 0 0	2.2	2.3 2.0 0.8 4.9 4.1 0.0 0.0	ALL WM WF BM BF OM OF	**** 0 0 **** 0 0 0	10 0 **** 8 **** 0 0	11 **** **** **** **** **** 0 0	**** **** 0 0 0 0 0 0	**** **** 0 **** **** **** 0	**** **** 0 **** **** **** 0 0	8 6 **** 0 0 0 0	6 6 **** 0 0 0 0	17 6 **** 6 **** **** 0 0	7 **** 5 **** **** **** 0 0	12 **** 0 **** **** **** 0 0	9 **** **** **** **** **** 0 0	13 **** 5 **** **** **** 0 0	**** 0 0 **** **** **** 0 0	0 0 0 0 0 0 0	
ACCIDENTAL POISONING AND EXPOSURE TO NOXIOUS SUBSTANCES- (X40-X49)	186 85 57 32 8 **** ****	4.2	4.2 5.9 3.9 5.5 1.2 2.8 2.4	ALL WM WF BM BF OM OF	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	7 5 0 **** 0 0 0	21 10 5 5 0 0 ****	34 20 9 5 0 0 0	61 30 18 9 **** **** 0	41 15 14 5 5 **** ****	7 **** **** **** 0 0 0 0	8 **** **** **** 0 0 0 0	5 0 **** **** **** 0 0	**** 0 **** **** **** 0 0	**** 0 **** **** **** 0 0	0 0 0 0 0 0 0	
OTHER AND UNSPECIFIED NONTRANSPORT ACCIDENTS AND THEIR SEQUELAE- (W20- W31, W35-W64, W75-W99, X10- X39, X50-X59, Y86)	425 160 120 101 39 **** ****	9.5	10.3 13.3 6.5 21.2 6.1 5.2 2.7	ALL WM WF BM BF OM OF	14 **** **** 5 7 0 0	6 0 0 5 **** 0 0	**** **** 0 0 0 0 0 0	**** 0 0 **** **** 0 0	8 **** 0 **** **** 0 0	11 6 **** **** 0 0 0	31 20 **** 8 0 0 0	37 25 **** 7 **** **** 0	44 22 **** 16 **** **** 0	40 11 8 18 **** **** 0	50 21 14 12 **** **** 0	69 19 31 9 9 0 ****	113 31 56 12 14 0 0	0 0 0 0 0 0 0		
INTENTIONAL SELF-HARM (SUICIDE)- (X60-X84, Y87.0)	465 314 77 67 6 **** 0	10.4	10.6 22.6 5.1 10.6 0.8 1.3 0.0	ALL WM WF BM BF OM OF	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	**** **** 0 **** **** 0 0	30 18 **** 7 **** 0 0	47 32 **** 12 **** 0 0	92 61 11 20 0 0 0	95 59 19 14 **** **** 0	76 53 18 **** **** 0 0	45 31 9 5 0 0 0	36 27 7 **** **** 0 0	33 25 6 **** **** 0 0	9 7 **** **** 0 0 0	0 0 0 0 0 0 0		
INTENTIONAL SELF-HARM (SUICIDE) BY DISCHARGE OF FIREARMS- (X72-X74)	324 236 41 44 **** 0 0	7.2	7.4 17.1 2.8 7.1 0.4 0.0 0.0	ALL WM WF BM BF OM OF	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	**** **** **** **** **** **** ****	21 12 **** 6 0 0 0	31 24 0 7 0 0 0	62 45 5 12 0 0 0	58 34 13 9 **** **** 0	50 39 9 5 **** **** 0	37 26 6 5 0 0 0	29 25 **** **** 0 0 0	27 23 **** **** 0 0 0	8 7 0 **** 0 0 0	0 0 0 0 0 0 0		
INTENTIONAL SELF-HARM (SUICIDE) BY OTHER AND UNSPECIFIED MEANS AND THEIR SEQUELAE- (X60-X71, X75-X84, Y87.0)	141 78 36 23 **** **** 0	3.2	3.2 5.5 2.4 3.5 0.4 1.3 0.0	ALL WM WF BM BF OM OF	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 **** **** **** ****	**** 0 0 **** **** **** ****	9 6 **** 5 **** **** 0	16 8 6 8 0 0 0	30 16 6 6 0 0 0	37 25 6 5 **** **** 0	26 14 9 5 **** **** 0	8 5 **** 0 0 0 0	7 **** 5 **** 0 0 0 0	6 **** **** **** 0 0 0 0	**** 0 **** **** 0 0 0	0 0 0 0 0 0 0		
ASSAULT (HOMICIDE)- (X85-Y09, Y87.1)	594 91 50 368 78 6 ****	13.3	13.1 6.4 3.5 51.0 9.8 7.2 1.4	ALL WM WF BM BF OM OF	9 **** 0 **** **** 0 0	17 **** **** 6 7 0 0	6 **** **** **** **** 0 0	9 0 **** 42 8 **** 0	57 5 **** 106 9 **** 0	131 11 13 111 18 **** 0	159 16 7 58 21 **** 0	108 20 9 29 **** 0 0	55 15 9 29 **** 0 0	26 14 5 5 **** **** 0	12 **** 0 5 **** **** 0	**** **** **** 0 **** **** 0	**** **** **** 0 **** **** 0	**** 0 **** 0 **** **** 0	0 0 0 0 0 0 0	
ASSAULT (HOMICIDE) BY DISCHARGE OF FIREARMS- (X93-X95)	424 50 25 306 37 5 ****	9.5	9.3 3.5 1.8 42.1 4.5 6.3 1.4	ALL WM WF BM BF OM OF	**** 0 0 **** 0 0 0	**** 0 **** **** **** 0 0	**** **** **** **** **** 0 0	7 0 **** 38 5 **** 0	49 0 **** 91 9 **** 0	108 7 9 99 13 **** 0	133 11 9 99 5 **** 0	70 12 **** 48 5 **** 0	30 5 **** 19 **** **** 0	14 8 **** **** **** **** 0	5 **** 0 **** 0 **** 0	**** **** **** 0 **** **** 0	0 **** **** 0 **** **** 0	0 0 0 0 0 0 0		

Table D11 continues on the next page.

Table D11 (continued).
Deaths (Exclusive Of Stillbirths) By Selected Causes, Sex, Race, And Age
Louisiana Residents, 2000

Cause Of Death and ICD-10 Code	Total	Rates		Race & Sex	Age In Years														
		Crude ⁺	Age- Adj. ⁺⁺		LT 1	1- 4	5- 9	10- 14	15- 19	20- 24	25- 34	35- 44	45- 54	55- 64	65- 74	75- 84	85+	Unk.	
ASSAULT (HOMICIDE) BY OTHER AND UNSPECIFIED MEANS AND THEIR SEQUELAE - (X85-X92, X96-Y09, Y87.1)	170	3.8	3.8	ALL	8	14	****	****	8	23	26	38	25	12	7	****	****	0	
	41		2.9	WM	****	****	0	0	0	****	5	8	10	6	****	****	0	0	
	25		1.7	WF	0	****	****	0	****	****	****	****	5	****	0	0	****	0	
	62		9.0	BM	****	5	0	****	****	15	12	10	10	****	****	0	0	0	
	41		5.3	BF	****	6	****	****	****	0	5	16	0	****	****	0	0	0	
	****		0.9	OM	0	0	0	0	0	****	0	0	0	0	0	0	0	0	
	0		0.0	OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
LEGAL INTERVENTION- (Y35, Y89.0)	****	0.1	0.1	ALL	0	0	0	0	0	0	****	****	****	0	0	0	0	0	
	****		0.1	WM	0	0	0	0	0	0	0	0	****	0	0	0	0	0	
	0		0.0	WF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	****		0.5	BM	0	0	0	0	0	0	****	****	0	0	0	0	0	0	
	0		0.0	BF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0		0.0	OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0		0.0	OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
EVENTS OF UNDETERMINED INTENT- (Y10-Y34, Y87.2, Y89.9)	61	1.4	1.3	ALL	****	0	0	0	****	11	10	13	19	****	0	0	0	****	
	30		1.9	WM	0	0	0	0	0	5	5	6	11	****	0	0	0	****	
	14		1.0	WF	****	0	0	0	****	****	****	****	****	0	0	0	0	0	
	10		1.6	BM	0	0	0	0	0	****	****	****	****	****	0	0	0	0	
	6		0.8	BF	****	0	0	0	0	****	****	0	****	****	0	0	0	0	
	****		0.9	OM	0	0	0	0	0	****	0	0	0	0	0	0	0	0	
	0		0.0	OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
DISCHARGE OF FIREARMS, UNDETERMINED INTENT- (Y22-Y24)	5	0.1	0.1	ALL	0	0	0	0	0	****	****	0	0	****	0	0	0	0	
	****		0.1	WM	0	0	0	0	0	0	****	0	0	****	0	0	0	0	
	0		0.0	WF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	****		0.3	BM	0	0	0	0	0	****	0	0	0	****	0	0	0	0	
	0		0.0	BF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0		0.0	OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0		0.0	OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
OTHER AND UNSPECIFIED EVENTS OF UNDETERMINED INTENT AND THEIR SEQUELAE- (Y10-Y21, Y25-Y34, Y87.2, Y89.9)	56	1.3	1.2	ALL	****	0	0	0	****	10	8	13	19	****	0	0	0	****	
	27		1.8	WM	0	0	0	0	0	5	****	6	11	****	0	0	0	****	
	14		1.0	WF	****	0	0	0	****	****	****	****	****	0	0	0	0	0	
	8		1.3	BM	0	0	0	0	0	****	****	****	****	0	0	0	0	0	
	6		0.8	BF	****	0	0	0	0	****	****	0	****	****	0	0	0	0	
	****		0.9	OM	0	0	0	0	0	****	0	0	0	0	0	0	0	0	
	0		0.0	OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
COMPLICATIONS OF MEDICAL AND SURGICAL CARE- (Y40-Y84, Y88)	41	0.9	1.0	ALL	****	0	0	0	0	****	****	****	****	7	6	10	7	0	
	15		1.3	WM	0	0	0	0	0	0	0	****	****	5	****	****	****	0	
	13		0.7	WF	0	0	0	0	0	****	0	0	****	****	****	****	****	0	
	****		1.0	BM	0	0	0	0	0	0	****	****	0	0	0	****	0	0	
	9		1.4	BF	****	0	0	0	0	0	****	****	****	****	0	****	0	0	
	0		0.0	OM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0		0.0	OF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	

*Crude death rate per 100,000 population

**Age-adjusted death rate per 100,000 2000 standard population

**** in cell indicates count is greater than 0 and less than 5

